

# **Global Federation of Animal Sanctuaries**



## **Standards For Feliform Sanctuaries**

**Version:**

**June, 2013**

**©2012 Global Federation of Animal Sanctuaries**



## ***Table of Contents***

<b>INTRODUCTION</b>	<b>1</b>
<b>GFAS PRINCIPLES</b>	<b>1</b>
<b>ANIMALS COVERED BY THESE STANDARDS</b>	<b>1</b>
<b>STANDARDS UPDATES</b>	<b>4</b>
<b>FELIFORM STANDARDS</b>	<b>4</b>
<b>FELIFORM HOUSING</b>	<b>4</b>
H-1. Types of Space and Size	4
H-2. Containment	6
H-3. Ground and Plantings	8
H-4. Transfer Doors	9
H-5. Shelter	10
H-6. Enclosure Furniture	12
H-7. Sanitation	13
H-8. Temperature, Humidity, Ventilation, Lighting	14
<b>PHYSICAL FACILITIES AND ADMINISTRATION</b>	<b>16</b>
PF-1. Overall Safety of Facilities	16
PF-2. Water Drainage and Testing	16
PF-3. Life Support	16
PF-4. Hazardous Materials Handling	16
PF-5. Security: Feliform Enclosures	17
PF-6. Perimeter Boundary and Inspections, and Maintenance	18
PF-7. Security: General Safety Monitoring	18
PF-8. Insect and Rodent Control	19
PF-9. Record Keeping	19
PF-10. Animal Transport	20
<b>NUTRITION REQUIREMENTS</b>	<b>21</b>
N-1. Water	21
N-2. Diet	21
N-3. Food Presentation and Feeding Techniques	23
N-4. Food Storage	23
N-5. Food Handling	24
<b>VETERINARY CARE</b>	<b>24</b>
V-1. General Medical Program and Staffing	24
V-2. On-Site and Off-Site Veterinary Facilities	25
V-3. Preventative Medicine Program	25
V-4. Clinical Pathology, Surgical, Treatment and Necropsy Facilities	26
V-5. Quarantine and Isolation of Feliforms	27



V-6. Medical Records and Controlled Substances	28
V-7. Breeding/Contraception	29
V-8. Zoonotic Disease Program	30
<b>WELL BEING AND HANDLING OF FELIFORMS</b>	<b>30</b>
W-1. Physical Well-Being	30
W-2. Social Housing	32
W-3. Introduction of Unfamiliar Individuals	32
W-4. Behavioral/Psychological Well-Being	34
W-5. Feliform-Caregiver Relationships	34
W-6. Handling and Restraint	35
<b>STAFFING</b>	<b>36</b>
<b>GENERAL STAFFING</b>	<b>36</b>
S-1. General Staffing Considerations	36
S-2. Security and Emergency Coverage	36
S-3. Volunteer and Internship Programs	37
S-4. Manuals	37
S-5. Employee Training and Continuing Education	38
<b>SAFETY POLICIES, PROTOCOLS AND TRAINING</b>	<b>38</b>
S-6. Communication System	38
S-7. Emergency Response Plans and Protocols	38
S-8. Escaped Feliform Protocol	39
S-9. Emergency Training	40
S-10. Firearm Policy	40
S-11. Firearm Training	40
S-12. Chemical Restraint	40
S-13. First Aid and Zoonotic Disease Training, and Staff First Aid	40
<b>GOVERNANCE AND FINANCE</b>	<b>42</b>
<b>GOVERNING AUTHORITY</b>	<b>42</b>
G-1. Nonprofit/ Non-Commercial Status	42
G-2. Ownership of Sanctuary Property and Contingency Planning	42
G-3. Succession Planning	42
G-4. Board of Directors/Trustees	43
G-5. Ethics and Grievance Procedures	43
G-6. Required Licenses and Permits	44
G-7. Strategic Planning	44
<b>FINANCIAL RECORDS AND STABILITY</b>	<b>44</b>
F-1. Budget and Financial Plan	44
F-2. Financial Reports	45
F-3. Financial Stability	45
F-4. Banking Responsibilities and Financial Transactions	45
F-5. Fundraising Activities and Disclosures	46
F-6. Insurance and Waivers	46



<b>EDUCATION AND OUTREACH</b>	<b>47</b>
E-1. Education Programs	47
E-2. Tours	47
E-3. Outreach	48
<b>POLICIES</b>	<b>48</b>
<b>POLICIES: ACQUISITION AND DISPOSITION OF FELIFORMS</b>	<b>48</b>
P-1. Acquisition Ethics and Commercial Trade Prohibition	48
P-2. Acquisition Recordkeeping and Monetary Exchange	49
P-3. Disposition Ethics and Responsibility	49
P-4. Disposition of Live Feliforms	49
P-5. Euthanasia	50
<b>POLICIES: PUBLIC CONTACT AND RESTRICTIONS ON USE AND HANDLING OF FELIFORMS</b>	<b>50</b>
P-6. Public Contact	50
P-7. Removal from Sanctuary or Enclosures/Habitats for Non-Medical Reasons	50
P-8. Public Viewing of Human/Feliform Interaction	50
P-9. Non-Portrayal of Feliforms as Tractable	52
P-10. Non-Harmful, Non-Exploitive Fundraising	52
P-11. Ethics in Research	52
<b>FELIFORMS BEING RELEASED TO THE WILD</b>	<b>53</b>
R-1. General Considerations	53
R-2. Rescue Of Feliforms	54
R-3. Evaluation Of Suitability For Release	55
R-4. Quarantine And Prerelease Housing	55
R-5. Diet, Nutrition And Foraging Skills	57
R-6. Husbandry And Health	57
R-7. Health And Safety Of Caregivers Working With Releasable Feliforms	58
R-8. Assessment of Health and Skills	59
R-9. Determining Appropriate Release Sites	59
R-10. The Release Process And Post Release Monitoring	60
<b>APPENDIX 1</b>	<b>60</b>



## INTRODUCTION

---

### GFAS PRINCIPLES

The Global Federation of Animal Sanctuaries (GFAS) will designate an organization as “verified” or “accredited” based upon its substantial compliance with the standards listed below. GFAS recognizes that some organizations under consideration will operate valid rescue and rehabilitation programs with a goal of releasing wildlife to the wild pursuant to IUCN and/or other international or national standards. For those animals, lifetime sanctuary care may not be part of the organization’s mission. While the care for these animals may be provided on an interim basis only, the organization is still expected to meet the standards below with regard to all animals in its care and for purposes of these standards it will be identified as a “sanctuary.”

Consistent with GFAS’ philosophy and the standards below, it is expected that a sanctuary does not adopt policy positions that are in opposition to the welfare of the species of animals in the care of the sanctuary (for example, while it is not required that a primate sanctuary affirmatively promote a policy against laboratory research using primates, it should not promote a policy in favor of such research).

Note: Several standards make reference to a sanctuary’s “Director.” GFAS recognizes that a sanctuary may use a different title, and the term “Director” is intended to reference the sanctuary’s Sanctuary Director, who may be called an Executive Director or Chief Executive Officer, etc.

GFAS also recognizes that sanctuaries may rely on volunteers for certain functions, including some aspects of animal care (such as food preparation). Standards referencing “staff” may take into account appropriately qualified and trained volunteers as well as employees.

Appendix I of this document provides further guidance/suggestions on facility design and feliform care. These are not requirements but rather provide sanctuaries with access to knowledge gained from experience at other sanctuaries/feliform care facilities.

### ANIMALS COVERED BY THESE STANDARDS

#### Family / Genus/Species/Common Names

- a. Family: Eupleridae, Herpestidae, Hyaenidae, Nandiniidae, Viverridae
- b. Genus/Species/Common Names

<b>Genus</b>	<b>Species</b>	<b>Common name</b>
<i>Arctictis</i>	<i>binturong</i>	binturong, bearcat, Palawan binturong
<i>Arctogalidia</i>	<i>trivirgata</i>	small-toothed palm civet, Javan small-toothed palm civet, three-striped palm civet
<i>Atilax</i>	<i>paludinosus</i>	marsh mongoose, water mongoose
<i>Bdeogale</i>	<i>crassicauda</i>	bushy-tailed mongoose, Sokoke bushy-tailed mongoose
<i>Bdeogale</i>	<i>jacksoni</i>	Jackson’s mongoose
<i>Bdeogale</i>	<i>nigripes</i>	black-footed mongoose, black-legged mongoose,
<i>Bdeogale</i>	<i>omnivora</i>	Sokoke bushy-tailed mongoose
<i>Chrotogale</i>	<i>owstoni</i>	Owston’s civet, Owston’s banded palm civet, Owston’s palm civet
<i>Civettictis</i>	<i>civetta</i>	African civet



<b>Genus</b>	<b>Species</b>	<b>Common name</b>
<i>Crocuta</i>	<i>crocuta</i>	spotted hyena
<i>Crossarchus</i>	<i>alexandri</i>	Alexander's cusimanse
<i>Crossarchus</i>	<i>ansorgei</i>	Ansorge's cusimanse, Angolan cusimanse,
<i>Crossarchus</i>	<i>obscurus</i>	common cusimanse, cusimanse, long-nosed cusimanse
<i>Crossarchus</i>	<i>platycephalus</i>	Cameroon cusimanse, flat-headed cusimanse
<i>Cryptoprocta</i>	<i>ferox</i>	fossa,
<i>Cryptoprocta</i>	<i>spelae</i>	giant fossa
<i>Cynictis</i>	<i>penicillata</i>	yellow mongoose
<i>Cynogale</i>	<i>bennettii</i>	Otter-civet, otter civet, Sunda otter civet
<i>Diplogale</i>	<i>hosei</i>	Hose's civet, Hose's palm civet
<i>Dologale</i>	<i>dybowskii</i>	Pousargues' mongoose
<i>Eupleres</i>	<i>goudotii</i>	falanouc, Malagasy mongoose, slender falanouc, small-toothed mongoose
<i>Fossa</i>	<i>fossana</i>	fanaloka, Malagasy civet, striped civet
<i>Galidia</i>	<i>elegans</i>	Malagasy ring-tailed mongoose, ring-tailed mongoose
<i>Galidictis</i>	<i>fasciata</i>	broad-striped mongoose, Malagasy broad-striped mongoose,
<i>Galidictis</i>	<i>grandidieri</i>	giant-striped mongoose, Grandidier's mongoose
<i>Genetta</i>	<i>abyssinica</i>	Ethiopian genet, Abyssinian genet
<i>Genetta</i>	<i>angolensis</i>	Miombo genet, Angolan genet
<i>Genetta</i>	<i>bourloni</i>	Bourlon's genet
<i>Genetta</i>	<i>cristata</i>	crested genet
<i>Genetta</i>	<i>genetta</i>	common genet, Ibiza common genet, Ibiza genet
<i>Genetta</i>	<i>johnstoni</i>	Johnston's genet
<i>Genetta</i>	<i>maculata</i>	Central African large-spotted genet, panther genet, rusty-spotted genet
<i>Genetta</i>	<i>pardina</i>	West African large-spotted genet, Pardine genet,
<i>Genetta</i>	<i>piscivora</i>	aquatic genet
<i>Genetta</i>	<i>poensis</i>	king genet
<i>Genetta</i>	<i>servalina</i>	servaline genet
<i>Genetta</i>	<i>thierryi</i>	Hausa genet, Hausa genet
<i>Genetta</i>	<i>tigrina</i>	South African large-spotted genet, blotched genet, large spotted genet
<i>Genetta</i>	<i>victoriae</i>	giant genet
<i>Helogale</i>	<i>hurtula</i>	Somali dwarf mongoose, desert dwarf mongoose, Ethiopian dwarf mongoose
<i>Helogale</i>	<i>parvula</i>	common dwarf mongoose, dwarf mongoose
<i>Hemigalus</i>	<i>derbyanus</i>	banded civit, banded palm civet,
<i>Herpestes</i>	<i>brachyurus</i>	short-tailed mongoose
<i>Herpestes</i>	<i>edwardsii</i>	Indian grey mongoose
<i>Herpestes</i>	<i>flavescens</i>	Kaokoveld slender mongoose, Angolan slender mongoose, black slender mongoose.
<i>Herpestes</i>	<i>fuscus</i>	Indian brown mongoose, brown mongoose



<b>Genus</b>	<b>Species</b>	<b>Common name</b>
<i>Herpestes</i>	<i>ichneumon</i>	Egyptian mongoose, Ichneuman, large grey mongoose
<i>Herpestes</i>	<i>javanicus</i>	small Asian mongoose, Javan mongoose, small Indian mongoose
<i>Herpestes</i>	<i>naso</i>	long-nosed mongoose
<i>Herpestes</i>	<i>ochraceus</i>	Somali slender mongoose, Somalian slender mongoose
<i>Herpestes</i>	<i>pulverulentus</i>	Cape grey mongoose, small grey mongoose,
<i>Herpestes</i>	<i>sanguineus</i>	slender mongoose
<i>Herpestes</i>	<i>semitorquatus</i>	collared mongoose
<i>Herpestes</i>	<i>smithii</i>	ruddy mongoose
<i>Herpestes</i>	<i>urva</i>	crab-eating mongoose
<i>Herpestes</i>	<i>vitticollis</i>	stripe-necked mongoose
<i>Hyaena</i>	<i>brunnea</i>	brown hyena
<i>Hyaena</i>	<i>hyaena</i>	striped hyena
<i>Ichneumia</i>	<i>albicauda</i>	white-tailed mongoose
<i>Liberiictis</i>	<i>kuhni</i>	Liberian mongoose
<i>Macrogalidia</i>	<i>musschenbroekii</i>	brown palm civet, musang, Sulawesi palm civet, Sulawesi civet
<i>Mungos</i>	<i>gambianus</i>	Gambian mongoose
<i>Mungos</i>	<i>mungo</i>	blanded mongoose
<i>Mungotictis</i>	<i>decemlineata</i>	Malagasy narrow-striped mongoose, narrow-striped mongoose
<i>Nandinia</i>	<i>binotata</i>	African palm civet, two-spotted palm civet
<i>Paguma</i>	<i>larvata</i>	masked palm civet, gem-faced civet
<i>Paracynictis</i>	<i>selousi</i>	Selous' mongoose
<i>Paradoxurus</i>	<i>hermaphroditus</i>	common palm civet, Mentawai palm civet
<i>Paradoxurus</i>	<i>jerdoni</i>	brown palm civet, Jerdon's palm civet
<i>Paradoxurus</i>	<i>zeylonensis</i>	golden palm civet
<i>Poinana</i>	<i>leightoni</i>	Leighton's lisang, West African lisang, West African oyan
<i>Poiana</i>	<i>richardsonii</i>	African lisang, Central African lisang, Central African oyan, Richardon's lisang
<i>Proteles</i>	<i>cristata</i>	aardwolf
<i>Rhynchogale</i>	<i>melleri</i>	Meller's mongoose
<i>Salanoia</i>	<i>concolor</i>	brown-tailed mongoose, Malagasy brown-tailed mongoose, Salano
<i>Suricata</i>	<i>suricata</i>	meerkat, slender-tailed meerkat, suricate
<i>Viverra</i>	<i>civettina</i>	Malabar civet, Malabar large-spotted civet
<i>Viverra</i>	<i>megaspila</i>	large-spotted civet
<i>Viverra</i>	<i>tangalunga</i>	Malay civet, Malayan civet, Oriental civet
<i>Viverra</i>	<i>zibetha</i>	large Indian civet
<i>Viverra</i>	<i>indica</i>	small Indian civet



### Version Updates:

New and Updated content released on February 2015

- G-1 Nonprofit/ Non-Commercial Status, P-3 Disposition Ethics and Responsibility, P-4 Disposition of Live Feliforms, P-5 Euthanasia.

New and Changed content released on July 2015

- V-7 Breeding/Contraception – section a.

## FELIFORM STANDARDS

GFAS notes that there may be other acceptable ways of meeting the intent of each standard, aside from those detailed below, and that in some instances there may be legal, cultural or other significant barriers to meeting GFAS requirements. The standards are considered mandatory, but GFAS will consider specific exceptions to some of the listed requirements (e.g., exact enclosure size, manner of record keeping, legal requirements that impact a sanctuary's acquisition policy, etc.). GFAS encourages sanctuaries to offer feedback on the standards and to explain any reasons why it believes it cannot meet a particular standard, or why the standard is not applicable and/or appropriate to its situation. Sanctuaries are also welcome to indicate a timeline for meeting a standard if the standard is not yet met at the time of application for accreditation for verification.

The exceeding of the standards is encouraged. In addition to meeting these standards, an organization is expected to comply with all applicable international, national, state/province, and local laws and regulations.

## FELIFORM HOUSING

---

### H-1. Types of Space and Size

**Unless otherwise directed by a veterinarian, feliforms are provided sufficient opportunity and space to move about freely and rapidly, and to exercise choice in location so as to reduce stress and maintain good physical condition.**

#### General

- a. The habitat and living conditions are species appropriate and replicate, in as much as possible, the feliforms' wild habitat with a balance between hygiene and the species' physiological and psychological needs. This includes adequate space, both vertical and horizontal, and appropriate space, in terms of diversity and complexity.
- b. The physical space provides varied opportunities for the feliforms to interact with the environment and key elements are changed often, resulting in a dynamic living space.
- c. Housing requirements all include a double entry system so that there are two doors between the feliforms and freedom at all times. The two doors are never open at the same time.



- d. Feliforms are provided access to as many areas of the enclosures as possible, except during staff maintenance activities, unless security concerns dictate otherwise. All enclosures interconnect without creating 'dead ends' to allow for freedom of movement of subordinate individuals.
- e. Outdoor enclosures are either covered, with minimum height to allow for natural behaviors, or open roofed, with cantilever angle, hotwire or sufficient height to prevent escape (see Housing Dimensions for appropriate measurements).
- f. The habitat provides appropriate visual, olfactory, and acoustic barriers.
- g. The habitat provides security from predators and unauthorized human access.

### **Open Space Settings**

- h. Open space settings have enough acreage per animal to accommodate natural individual and group activities.
- i. Where open space settings are the primary enclosure, two other areas may also be provided:
  - Indoor day/night rooms or other means of providing night housing and secure shelter during inclement and extreme weather. This space also provides alternate housing for sick or injured individuals while in close proximity to the social group.
  - Shift yards for use while the primary enclosure is serviced and/or for animal management needs including introduction of new individuals to a group, or temporary separation for health or social reasons. Shift yards should be accessible from indoor housing with a minimum of one door to the main enclosure.

### **Controlled access settings**

- j. While not as extensive as an open space setting, in controlled access areas ideally three enclosures are also provided: outdoor enclosures as the primary living space; indoor day/night rooms; and a shift yard or lock out.

### **Indoor Housing**

- k. Indoor housing provides year-round protection from the elements. For sanctuaries located in northern climates (where freezing temperatures occur regularly during any part of the year and temperate or tropical species are housed), indoor space is insulated and is large enough to allow for all forms of species-specific behavior (running, climbing, digging, playing, etc.).

### **Dimensions**

- l. Many factors influence the minimum space required for a group of feliforms, including, but not limited to: group size, group composition, and enclosure complexity. The following guidelines are minimum recommendations. Facilities should provide as much space as is possible and/or practical.
- m. Sanctuaries meeting only the minimum requirements for enclosure space employ additional environmental enrichment, focusing on physical and mental exercise rather than food, to compensate for reduced space and complexity.
- n. Outdoor enclosures for feliforms-Enclosure shape may be variable to take in natural features in the landscape such as rock formations, hills and trees, and there should be a minimum vertical dimension of 12 ft. (3.7 m). Space includes a minimum of one (1) animal transfer door leading to the indoor enclosure and a water feature when housing binturongs or other semi-aquatic species. Enclosures are a minimum of 600 sq. ft. (55.7 sq. m) per pair of feliforms.
  - Area is increased by 25% for each additional animal housed.



- Length is at least 10 times the length of the largest animal.
- Width is at least 3 times the average flight distance for the species housed.
- o. Indoor enclosures/shift yards for feliforms- A minimum of one room per feliform. Room dimension is dependent on intended purpose and/or duration of confinement.
  - Rooms for are a minimum of 20 sq. ft. (1.9 sq. m) with a minimum vertical dimension of 8 ft. (2.4 m).
  - Shift yards are a minimum of 150 sq. ft (13.9 sq. m) with a minimum vertical dimension of 8 ft. (2.4 m).
    - Shift yards are covered to prevent escape.
    - Adjacent shift yards are easily accessible from the main enclosure.
  - Rooms and shift yards interconnect without creating 'dead ends' to allow for freedom of movement for subordinate individuals and include a minimum of one transfer door to the main outdoor enclosure.
  - One transfer door per two rooms is acceptable.
  - Feliforms are familiarized with rooms and shift yards through routine feeding in or transfer through, or by being allowed continuous access.
  - Whenever possible and species appropriate, separated animals have visual and tactile access to group members to facilitate reintroduction.

## **H-2. Containment**

**Feliforms are safely contained.**

### **General**

- a. Other than when being transported or for medical reasons, feliforms are kept at all times in secure enclosures or other appropriate areas.
- b. Enclosures are designed to allow for feliforms ' normal defense reactions and appropriate 'flight' or escape distances.
- c. All enclosures are designed, constructed and maintained to securely contain feliforms and to present no likelihood of harm to them.
- d. Distance or barriers between feliforms and between enclosures and personnel is sufficient to minimize stress to the feliforms, as well as reduce the risk of disease transmission.
- e. Enclosures are designed to allow for proper, safe cleaning and drainage.
- f. Materials are appropriate for their particular application and are maintained in good repair.

### **Outdoor Enclosures**

- g. Perimeter containment of outdoor areas is constructed so as to prevent digging under the barrier by native wildlife, domestic species and the enclosure residents.
- h. Fences and enclosures are inspected daily for signs of digging. Where fencing meets hard surfaces such as rock or concrete, the fencing is securely anchored in place.
- i. Design takes into account feliforms' ability to climb, dig, jump, and manipulate doors, latches, locks, etc.



### **Fencing**

- j. Barbed or razor wire are not used to contain feliforms.
- k. The supporting posts for fences are firmly fixed into the ground.
- l. Fence material is sufficiently secured to supporting posts in such a way that the weight of the feliforms could not detach it from the support nor dislodge the supporting posts.
- m. Gates and doors are at least as strong, and as effective, in containing the feliforms as the rest of the enclosure barriers. In particular gates and doors are designed and maintained so as to prevent animals from lifting them from their hinges or unfastening the securing device.
  - All containment barriers have a mechanism to prevent feliforms from gaining access to dig under gates.
    - Wire mesh buried a minimum of 1 ft. under the substrate and extending 2-3 ft. (0.6- 0.9 m in either direction or a concrete apron extending 1-2 ft. (0.3-0.6 m) into the enclosure are recommended.
    - A concrete apron may also be extended 1-2 ft. (0.3-0.6 m) on either side of the gate.
- n. Gaps at gates, posts and other places do not exceed 1 in. (25.4 mm).
- o. Enclosures housing arboreal species are roofed whenever possible. When not possible, trees and enclosure furniture do not provide a means of escape.

### **Dimensions**

- p. A maximum dimension of 1 in. x 1 in. (2.54 mm x 2.5.4 mm) 9 gauge or heavier wire mesh fencing is recommended.
  - Where pens share common fence lines (to be avoided as much as possible) maximum dimension is 1 in. x 1 in. (25.4 mm x 25.4 mm).
  - Vinyl coated fencing is not used, to reduce risk of feliforms chewing and ingesting the coating.
- q. Minimum vertical dimension of 8 ft. (2.44 m) with an additional 3 ft. (0.91 m) fencing cantilevered toward the enclosure at 35-40° if the enclosure is not covered with roof or fencing.

### **Solid Barriers.**

- r. Solid barriers such as concrete block, poured concrete and artificial rock can be used as the sole method of containment or in conjunction with other types of barrier.
- s. Walls are secured in appropriate footings to ensure wall stability, and are of sufficient strength to anchor caging and furniture.
- t. Care is taken, especially with artificial rock, to ensure that contours in the rock do not provide escape routes from the enclosure.
- u. Height of the wall is the same as that for fences when measured above the nearest secure footfall.
- v. Design of areas using solid walls allows for sufficient air flow throughout an enclosure.

### **Moats**

- w. Moats are not recommended for feliform containment.

### **Indoor Enclosures and Shift Yards**

- x. For mesh/chain link size and vertical dimensions see outdoor enclosure section.
- y. Solid walls may be used, as described above, in conjunction with other types of barrier.



- z. Shift yards are topped with mesh or roofing due to their small size, which increases the possibility of escapes.
- aa. A maximum mesh size of 0.5 in. x 0.5 in. (25.4 mm X 25.4 mm) is recommended in areas where feliforms share a common fence line.
  - Common fence lines are avoided in new construction.
- bb. Walls are of sufficient strength to anchor caging and furniture.

**Ground cover indoors and out is healthy for feliforms. Plantings are appropriate and safe.**

### **H-3. Ground and Plantings**

#### **Vegetation**

- a. Any vegetation capable of harming feliforms is kept out of reach.
- b. Trees within or near animal enclosures are regularly inspected, trimmed or felled as necessary to avoid feliforms being harmed by falling branches, toxicity, or trauma.
- c. Trees and climbing plants are pruned to prevent their aiding feliform escape.
- d. Access to very tall trees which are useful for shade limited by electric wires, barriers etc. to prevent feliforms chewing bark, breaking branches or for climbing species to use them for escape.
- e. Any natural materials (e.g., plants and their products, such as seeds or fruit) are assessed for toxicity to the species held before use.

#### **Outdoor enclosures**

- f. All outdoor enclosures have a natural substrate consistent with the site.
  - The substrate provides easy to clean, dry areas for ground feeding, grooming and digging.
  - The substrate can be amended with organic materials, including but not limited to soils, sand, leaf litter, bark mulch, grasses, straw and hay.
  - The substrate drains well.
- g. Climbing feliforms species are provided with appropriate three-dimensional environments to accommodate an array of locomotory and foraging behaviors, as well as appropriate sleeping and resting areas, including nesting and bedding materials.
- h. Feliform species who naturally dig and root are provided with suitable substrates, nesting and bedding materials, as species appropriate. Enclosures are regularly inspected for digging damage.
- i. Semi-aquatic feliforms are provided with appropriate water sources and water quality is monitored where water sources are not 'dump and fill'.
- j. Where natural topography of an enclosure is not varied, it is created through the addition of natural and placed elements.



### **Indoor enclosures**

- k. All indoor enclosures have a non-slip concrete floor and, provided adequate septic service is present, are sloped to a drain. Natural substrate, which is routinely replaced may be used as species appropriate.
- l. For new construction, the indoor area is designed to accommodate a deep litter substrate.
  - Deep litter enclosures are designed to allow appropriate litter depth and drainage for proper functioning.
  - Litter is properly spot-cleaned and maintained.
- m. Existing construction ensures that all floors are sealed.
- n. Bedding materials are provided in sufficient amount/depth to prevent contact with the concrete.
  - Bedding material suitable for use includes, but is not limited to, bark mulch, leaf litter, wood wool, straw hay, shredded paper and wood shavings. Cedar shavings are used with caution as some species are sensitive to the aromatic oils.
- o. All feliforms are observed regularly for signs of illness that may be related to ingestion of foreign objects, including wood shavings, bark mulch or other materials that may pose a hazard.

### **Shift yards**

- p. All outdoor shift yards have a minimum of 50% of the surface area in natural substrate. The remaining 50% may be concrete as appropriate for drainage, sanitation, and structural needs.
- q. The substrate can be amended with organic materials including, but not limited to, soils, sand, leaf litter, bark mulch, grasses, straw and hay. The substrate drains well.
- r. Bedding materials are provided in sufficient amount/depth to prevent direct contact with any concrete surfaces, joint discomfort, and footpad abrasions.
- s. Shift yards for digging species are secured with buried fencing or a poured concrete pad or apron.
- t. Shift yards which house semi-aquatic species for extended periods include a species appropriate water feature.

## **H-4. Transfer Doors**

**Feliform enclosure transfer doors are appropriately designed to ensure both animal and human health and safety.**

### **General**

- a. Animal transfer doors are a key element of facility design.
- b. Doors are designed to allow transport crates to safely attach to them.
  - Transport crates should be able to be moved in and out of the enclosure through the transfer doors.
- c. Transfer doors are designed to remain functional under all circumstances and are maintained in good working order and free from any encumbrances that may prevent opening and closing.
- d. Doors are designed to allow caregiver view of enclosures while operating the doors.
- e. Minimum dimensions of transfer doors are such that feliforms can maintain normal posture when passing through the opening.



- f. Feliform transfer doors are located at ground level.
- g. Doors are designed such that people are out of view when feliforms are being shifted. If not, no eye contact is made with the feliforms going through the doors.
- h. Doors and door hardware are properly maintained to ensure proper functioning.

#### **Security**

- i. Transfer doors and their frames are constructed of materials similar in strength to those used in the primary enclosure.
- j. Doors are lockable in both the open and closed positions.
- k. For pneumatic or hydraulic doors, pneumatic or hydraulic pressure is sufficient for keeping doors in the open position. A mechanical lock is, however, in place to lock the door in the closed position.
- l. Particular attention is given to preventing hay/shavings from affecting door mechanisms.

#### **Animal Safety**

- m. Doors operated via remote control are visible from the control area.
- n. Guillotine doors are not recommended due to risk of animal injury. If used, a backup system should be in place to prevent door from free falling due to mechanical failure or operator error.
- o. Hydraulic systems use peanut or other food-grade oils to prevent risks to the feliforms in the event of leakage.
- p. Hydraulic and pneumatic door systems include backup systems to allow for door usage in the event of equipment failure.

#### **User Safety**

- q. If door handles or locking mechanisms are in close proximity to the enclosure, a solid barrier is present to protect the user.
- r. Double door systems are used to prevent escape from feliform holding areas.

**Feliforms have access to man-made shelter that provides each individual with protection from extreme weather (including, but not limited to, prevailing wind, snow, sleet, rain, sun, and temperature extremes).**

### **H-5. Shelter**

- a. Feliforms have space to seek refuge from sun, wind, inclement weather and enclosure mates.
- b. Shelter does not create or result in 'dead ends' in which individuals can be trapped by other group members.
- c. Shade and shelter are provided in multiple locations within enclosures to ensure that all feliforms have access to shade throughout the day.
- d. Shade and shelter can be created through natural and artificial means including hollow logs, rock overhangs, underground dens, den boxes, shade trees, and shade fabric.
  - The minimum number of nest boxes per enclosure is one (1) per animal.



- Multiple nest boxes are recommended as they provide a variety of sleeping and resting options for enclosure residents.
  - Arboreal species are provided with elevated nest boxes.
- e. Shelter areas provide dry space during wet weather, as well as protection from wind.
- f. Shelter design does not result in dead ends in which subordinate individuals can be trapped by dominant animals.



## H-6. Enclosure Furniture

**Feliforms are provided with an appropriately complex and rich habitat to explore, to ensure the animals' physical, nutritional and stimulation needs are met.**

### General

- a. Enclosures are equipped in accordance with the needs of the feliforms with bedding material, water features, den/hide boxes, appropriate substrate, vegetation and other enrichment materials designed to aid and encourage normal behavior patterns and minimize any abnormal behavior.
- b. Appropriate complexity is provided through the use of various natural and artificial materials in the enclosure, using a combination of items including, but not limited to, those listed above.
- c. The date that items are placed in an enclosure is noted, and items are removed when they become soiled, damaged or novelty has diminished.
- d. Climbing feliform species are provided access to the vertical space available within the enclosures.
- e. Digging/burrowing feliform species have access to areas for digging and/or den boxes.

### Outdoor Enclosures

- f. Visual barriers can be used to avoid confrontation or aggression, and include climbing structures, fallen logs, culvert pipes, walls, shade structures, topography and large enrichment items.
  - Logs are placed and secured in a manner that prevents rolling or falling onto animals.
- g. Areas for digging/burrowing are provided where possible and species appropriate. Burrows/dens dug are monitored for potential collapse and/or flooding.
- h. Climbing structures accommodate natural locomotion patterns for any climbing species housed. When multiple species are housed together, climbing structures created specifically for each species' unique needs are provided. Metal pipe is not used to construct climbers as it becomes dangerously hot in summer sun and can damage skin during cold weather. Climbing structures should be accessible by staff for routine sanitation, repairs and updates and should include:
  - horizontal and vertical elements
  - locations and/or mechanisms to provide enrichment above ground level;
  - resting platforms
  - soft substrate such as soil, bedding material, mulch or leaf litter is installed below climbers to minimize risk of injuries from falls, especially to youngsters and older individuals.
- i. Water sources such as pools, streams, or ponds are provided for semi-aquatic species. Permanent pool structures, where present, have an adequate filtration system to maintain institutional water quality parameters or are designed to allow easy draining, cleaning and refilling at suitable intervals to ensure water remains potable.
  - In excessive heat, fountains and misters may also be used to cool the air.

### Indoor Enclosures/Shift Yards

- j. To the greatest extent possible, all visual barriers, digging/burrowing areas and climbing structures meet outdoor enclosure criteria, particularly where feliforms must be housed in these limited spaces for extended periods of time.



- k. Indoor furniture is constructed of materials that can be sanitized or easily replaced when they become overly soiled. Furniture is accessible to staff for routine cleaning and repair.
- l. Benches and other structures allow for climbing and for sleeping above ground level as species appropriate.
- m. Den boxes and water features are provided, as species appropriate.

## **H-7. Sanitation**

**Proper sanitation is practiced to reduce pathogen transmission.**

### **General**

- a. Local, county, state laws regarding proper waste removal are observed.
- b. Where possible, feliforms are transferred from enclosures prior to cleaning, disinfection, and/or sanitizing.
- c. As fomites (shoes, clothing, etc. which carry infectious materials) may be a source of zoonotic disease, all who may come in contact with such materials are made aware of these risks and trained accordingly. (See also Standard V-8, “Zoonotic Disease Program”).
- d. Uneaten perishable food is removed within a timeframe appropriate for the type of foodstuff and size of enclosure, prior to molding or contamination.
- e. To ensure a stable social balance in feliform enclosures, not all areas are cleaned at the same time, leaving important scent markings at various points throughout the enclosure.

### **Removal of Animal Waste**

- f. Animal waste is removed from the habitat as often as necessary to prevent contamination of the feliforms contained therein, to minimize disease hazards and to reduce odors. This also enables caregivers to collect fecal samples in a timely manner.
- g. Soiled bedding material and substrate are removed and replaced with fresh materials daily, or as needed to prevent buildup. If odorous, bedding is changed regardless of how long in place.
- h. Damaged and soiled enrichment items are removed daily, or as soon as the feliforms allow access to the area.
- i. Efforts are made to prevent native wildlife getting access to waste.

### **Tools**

- j. Each enclosure has dedicated tools to prevent cross contamination between enclosures. When resources restrict the ability to have dedicated tools, tools are disinfected between enclosures to prevent the spread of parasites and disease.
- k. Tools are labeled when use is restricted to specific areas.
- l. Sanitation tools or equipment, including wheelbarrows, are not used for transport or storage of foodstuffs or bedding.

### **Cleaning and Disinfection**

- m. Feeding areas, automatic water devices, water and food containers are cleaned and disinfected daily.
- n. Care is taken to minimize overspray of waste, directly or via aerosolizing, into adjacent cages during cleaning.



- o. Animals are not present in enclosures being cleaned using power hoses. Care is taken to prevent accidental spraying of animals in adjacent enclosures when power hoses are used for cleaning.
- p. Concrete floored enclosures are dried with a squeegee, and as needed fans, to ensure floors are dry before bedding material is replaced.
- q. All hard surfaces including walls, floors, ceiling, benches, climbing structures, cage mesh and caregiver work areas are sanitized regularly to the extent possible. Note that in large outside enclosures with plenty of exposure to sunshine and rain, there may not be a need for scrubbing and cleaning but areas must be monitored for potential sanitation problems.
- r. Cleaning and Disinfection Standard Operating Procedures are developed and followed to address:
  - safe disinfectant use to prevent hazards to the feliforms, caregivers and the environment;
  - cleaning and disinfecting protocols for food preparation and veterinary care areas using more powerful disinfectants on hard surfaces;
  - daily, weekly, monthly and quarterly cleaning schedules for all hard surfaces including walls, floors, ceiling, benches, cage mesh and staff work areas designed to minimize the risk of disease transmission;
  - disinfectants and other cleaning products stored separately from foodstuffs.
- s. A Material Safety Data Sheet (MSDS) or equivalent is readily available for all cleaning products in use and all containers are properly labeled as to contents.

## **H-8. Temperature, Humidity, Ventilation, Lighting**

**Temperature, humidity, ventilation, and lighting are appropriately addressed.**

### **Temperature**

- a. The temperature is within an acceptable range for the species housed.
  - Weather is considered in addition to temperature.
  - Allowance is made to accommodate individual animals not able to tolerate temperatures above or below the usual range of comfort for the species.
- b. For outdoor enclosures and shift yards, feliforms have access to heated or cooled areas when ambient temperature falls below 50°F (10°C), adjusted for wind chill, or rises above 80° F (26.4°C) when provided with dry, well-bedded den/nest/hide space. Great caution is taken with elderly, infant and disabled feliforms.
  - Appropriate shelter and heat is provided for feliforms susceptible to frostbitten toes in cold, damp climates.
  - Temperature range for most viverrids is between 68°F (20°C) and 78°F (25°C).
  - Owston's masked, palm and small Indian civets tolerate temperatures in the 32°F (0°C) to 48°F (9°C) range when provided with nestboxes filled with sufficient bedding.
  - Binturongs can tolerate temperatures to 40°F (4.4°C) where heat and shelter are provided.
  - Windbreaks are sufficient in number to accommodate all feliforms simultaneously with consideration for social structure and relationships in a group.
  - Shade is available throughout the day in a number of areas and adequate size space to accommodate all feliforms simultaneously with consideration for social structure and relationships within a group.



- Care is taken to prevent direct feliform contact with heat sources. Note: Infrared bulbs or ‘heat lamps’ are not recommended as heat sources due to risks associated with bulb breakage and tissue damage to feliforms.
  - Heating blocks/panels, if used, are installed and used so as to ensure they pose no risk to the feliforms.
- c. For indoor enclosures, an average ambient temperature range of 50°F (10°C) and 85°F (29.4°C) is recommended. For temperatures outside this range heat can be provided by forced air or hydronic heating systems and cool air by refrigerant air conditioning, “swamp coolers”, fans, or misters;
  - Providing feliforms with opportunities to choose temperature ranges within an enclosure is preferred. This can be achieved by access to areas near heat vents, skylights, or hog warmers for example.
  - Even when ambient temperatures are ‘warm’, bare concrete floors, especially damp floors, are too cold for many individuals and are not considered suitable substrate or housing for feliforms.
  - Any climate control systems include back-up power in case of equipment or power failure.

### **Humidity**

- d. Optimal indoor humidity is between 40% and 70%. Humidity should not be kept above 80% in controlled environments to prevent fungal and mold growth. High humidity can be mitigated through proper ventilation or dehumidifier systems.

### **Ventilation**

- e. Proper ventilation of indoor enclosures is critical,
  - In these areas, Heat Recovery Ventilators and Energy Recovery Ventilators can provide fresh outdoor air with minimal heat loss.
- f. Indoor enclosures ideally have a negative air pressure, with regular exchange of non-re-circulated air.
  - A minimum of one complete air exchange per hour is recommended.
  - Where negative air pressure is not used, HEPA filters may be installed to maintain re-circulated air quality.
- g. To the extent possible, separate air handling systems are maintained between animal areas to prevent disease transmission.
- h. Proper window and door placement can ensure sufficient cross-ventilation in warm climates.

### **Lighting**

- i. Light, natural and artificial, is appropriate for the species housed in terms of intensity, spectrum and duration.
- j. Indoor enclosures - Natural lighting is optimal and can be obtained using skylights, windows, roll-up doors and other means. Glass bricks may be considered, taking into account the fact that light intensity will be less than with clear glass.
  - Supplemental lighting is provided to ensure adequate light, both day and night, for caregivers to observe animals, clean enclosures and perform related animal care tasks.
  - When animals are confined indoors overnight, sufficient lighting is used to extend the daylight period to a natural diurnal rhythm for the species housed to allow animals time to eat and select sleeping sites.
- k. Outdoor enclosures and shift yards - Supplemental lighting is available for use in outdoor areas in event of an emergency.



## **PHYSICAL FACILITIES AND ADMINISTRATION**

---

### **PF-1. Overall Safety of Facilities**

**The premises, tools, equipment, animal care records, and hazardous materials are appropriately kept clean and safe.**

- a. The sanctuary is committed to maintaining a safe and healthy environment for all employees, volunteers, visitors and feliforms, and conforms to health and safety practices as outlined under applicable national and state/province laws and regulations (e.g., the Occupational Health and Safety Administration [“OSHA”] in the United States or an equivalent international/national occupational safety organization/agency).
- b. Premises (buildings and grounds) are kept clean and in good repair in order to protect employees, volunteers, visitors and feliforms from injury and to facilitate appropriate feliform care.
- c. Materials and equipment are safely stored when not in use, and there is an effective system in place for regular inspection and maintenance of tools and equipment.

### **PF-2. Water Drainage and Testing**

**Water drainage is rapid and complies with all regulations, and soil and water are tested annually.**

- a. A suitable method is provided to rapidly eliminate excess water.
- b. The sanctuary’s method of drainage complies with applicable national, state/province, and local laws and regulations relating to pollution control or the protection of the environment.
- c. Enclosures are checked annually for potential water contamination and soil contaminants.

### **PF-3. Life Support**

**There are adequate and reliable utilities, with back up.**

- a. Adequate and reliable electric power, potable water, water supplies and plumbing are available on the premises.
- b. An emergency power system, such as a generator, is in place in the event of a power outage.

### **PF-4. Hazardous Materials Handling**

**Hazardous materials are appropriately handled according to applicable regulations and laws, protective clothing and other equipment in isolation units are not used elsewhere, and waste is taken care of appropriately.**

- a. The method for disposal of sewage, toxic/hazardous materials, garbage, and feliform wastes follows all guidelines for hazardous materials. All national, state/province and local legal and regulatory requirements are met.



- b. All hazardous materials are labeled with the name of the contents, appropriate hazard warnings, and the name and address of the manufacturer as provided on the Material Safety Data Sheets (MSDS Sheets) or equivalent, if used in the country in which the sanctuary is based.
- c. If applicable, Material Safety Data Sheets for each hazardous material to which employees may be exposed, are kept in the area where the materials are stored. Employees are made aware of, have access to and understand how to interpret the MSDS Sheets.
- d. All employees and volunteers, where appropriate, utilizing hazardous materials are appropriately trained in the use of, and made aware of the potential hazards of using these materials.
- e. Protective equipment and clothing is utilized where required, such as working with hazardous chemicals and potentially infectious feliforms.
- f. Accumulations of trash is placed in designated areas and cleared as necessary to protect the health of the feliforms, staff, volunteers, visitors and the surrounding environment.
- g. The sanctuary considers the potential risks of releasing parasites, diseases or non-native plants through effluent water and other routes.
- h. Provision is made for the safe and legal removal and disposal of feliform and food wastes, bedding, dead animals, trash and debris.
- i. Disposal facilities are so provided and operated to minimize rodent and insect infestation, odors, and disease hazards while complying with applicable international, national, state/province, and local laws and regulations relating to pollution control or the protection of the environment.

## **PF-5. Security: Feliform Enclosures**

**Proper security measures are in place to safely contain feliforms at all times, and there is a 24-hour security system in place.**

- a. Entry and exit to feliform enclosures is through a system of double gates and/or doors, with sufficient space between to allow each gate to be securely closed prior to opening the other.
- b. For very large enclosures into which vehicles enter, the double gates and/or doors are located far enough apart to allow the vehicle to be completely enclosed into the area with both gates secured before entering the enclosure.
- c. The sanctuary has 24-hour systems in place to minimize the risks of theft, malicious damage, or release of feliforms by intruders entering the grounds.
- d. The sanctuary has a key control system designed to ensure that only qualified staff are allowed into certain areas of the sanctuary, such as feliform enclosures. Gates and doors to enclosures are securely locked so as to prevent unauthorized openings.
- e. An adequate number of clearly visible safety signs, providing warning by means of a symbol, words or a combination of symbol and words, are displayed at each enclosure as needed.



## **PF-6. Perimeter Boundary and Inspections, and Maintenance**

**The perimeter boundary is designed to discourage unauthorized entry, with suitable exits, and any enclosures in need of repairs is immediately repaired or replaced, or feliforms are relocated.**

- a. The perimeter boundary, including access points, is designed, constructed, and maintained to discourage unauthorized entry and as an aid to the safe confinement of all the feliforms within the sanctuary.
- b. Exits through any perimeter fence are suitably located and adequately designated and secured.
- c. Each exit from the sanctuary is kept clear and is capable of being easily opened from the inside to allow the release of staff.
- d. All such gates are capable of being closed and secured to prevent the escape of feliforms and entry of unauthorized animals and visitors.
- e. Safety signs on any electrified section of the perimeter fence or enclosures are easily visible.
- f. A regular program of sanctuary maintenance is in place.
- g. Any enclosure in need of repair, or any defect likely to cause harm to feliforms, is immediately repaired or replaced, or the feliform(s) are relocated to a secure enclosure.

## **PF-7. Security: General Safety Monitoring**

**Appropriate fire extinguishers and alarms are in place and in working order, weather is monitored, and all physical features of the sanctuary are designed and maintained to ensure the safety of the feliforms.**

- a. Adequate fire extinguishers and alarms are installed, regularly tested, maintained in good working order and the staff is trained in their use. Fire alarms can automatically be heard from the permanent residence.
- b. The sanctuary has a system in place to provide early warning of severe temperature extremes and weather patterns. This is communicated directly to the sanctuary Director in case of emergency.
- c. Steps have been taken to protect feliforms as much as possible from fire, flood, and other natural hazards. This includes not storing more than the daily ration of bedding in the same building in which feliforms are housed.
- d. All plant and fixed equipment, including electrical and heating apparatus, are installed and maintained in such a way that they do not present a hazard to feliforms, and their safe operation cannot be disrupted by the feliforms.
- e. Tools and other portable equipment are not left unattended in places where they could cause feliforms harm.



## **PF-8. Insect and Rodent Control**

**An appropriate, effective, humane and safe rodent control program is in place as needed. Insects are safely controlled as needed.**

- a. An insect and humane rodent control program is in place, supervised by a veterinarian to determine the degree of toxicity that products in use may pose to feliforms, native wildlife, and staff.
- b. Insect and rodent control is implemented in all appropriate areas of the sanctuary, including storage areas for food items.
- c. Any pesticides are used in accordance with government regulations. Whenever possible, less toxic or non-toxic agents such as silica gel, diatomaceous earth or insect growth regulator products are given preference.

## **PF-9. Record Keeping**

**Records are maintained appropriately as required by local, state and national regulations and as necessary for good husbandry, management and veterinary care.**

- a. Detailed individual and group records are necessary for good husbandry, management and veterinary care. All nationally required records are kept, as well as records required by GFAS to meet other standards in this document (e.g. Standard P-2 “Acquisition Recordkeeping and Monetary Exchange”).
- b. Records that, if not required by law, are recommended by GFAS include but are not limited to:
  - Individual animal records showing origin, age, species, gender, microchip number, tattoo, photo, bio, etc.;
  - Individual veterinary record;
  - Reproductive history, if known;
  - Contraception records;
  - Weight, current diet and record of diet changes;
  - Food consumption and preferred food items;
  - Enrichment dates, items used and feliform’s response;
  - Where applicable and appropriate, any positive reinforcement training records showing completed objectives and those in development;
  - Current and historic enclosure mates, social groups and partners, including response to various phases of introduction and response to other individuals;
  - Acquisition documents (*see Standard P-2, “Acquisition Recordkeeping and Monetary Exchange”*);
  - Welfare assessment for the feliforms as a whole including measures of: disease prevalence, morbidity and mortality rates, and activity levels;
  - Inspection Reports, as applicable, from international, national, state/province and local agencies, as well as accrediting organizations;
  - Other animal documentation, as applicable, such as complaints or police reports pertaining to specific animal, and animal escape reports.



## **PF-10. Animal Transport**

**Feliforms are appropriately transported to maximize safety and minimize stress and in accordance with all local, state/province, national, international requirements and laws.**

### **General**

- a. Feliforms are transported only when necessary, such as when being transported to the Sanctuary, to a medical facility for care or to another accredited Sanctuary for reasons as described in acquisition standards.
- b. Pre-transport health examinations ideally include a complete physical exam with attention to parasite checks, necessary vaccinations, and completion of any tests required by regulations of the receiving state/province or country.
- c. Health certificates and any required transport permits accompany the feliform when being transported interstate or internationally. All transport abides by local, state/province, federal, and international law. A veterinarian is responsible for preparing and signing the health certificate.
- d. Prior to transport, the sanctuary ensures that adequate facilities are available at the receiving end and food items that are familiar to the animal are available.
- e. Where possible and appropriate, feliforms are acclimated to shipping crate prior to transport. Capture, restraint, and transportation methods consider the feliform's temperament and behavior in order to minimize injury, and distress.
- f. At a minimum, transport enclosures meet appropriate animal welfare standards (e.g., IATA, US Animal Welfare Act Transportation Standards or similar).
- g. Transport crates and vehicles are in good condition and meet federal and/or international standards. Equipment suitable for lifting, crating and transportation of animals kept within the sanctuary is readily available.
- h. Transport containers:
  - have impervious surfaces, which are cleaned and disinfected after use.
  - are designed to permit safe transfer into a secondary enclosure.
  - are designed to minimize the risk of the feliform being able to make contact with personnel.
  - are placed within a secondary container or closed compartment on the transport vehicle.
- i. Any feliform taken outside the sanctuary, for an approved reason such as medical treatment or transfer to a more appropriate sanctuary, is in the personal possession of the sanctuary director, or of competent persons acting on his/her behalf and adequate provision is made for the safety and well-being of the animal and public safety.
- j. All feliforms taken outside the sanctuary are kept securely at all times. Feliforms are managed outside the sanctuary in such a way that the animal is under control and not likely to suffer distress, cause injury or transmit or contract disease.
- k. Complete medical records, diet and husbandry information, and identifying papers (e.g., describing tattoos, or other identification methods) accompany all transported feliforms.



## **NUTRITION REQUIREMENTS**

---

### **N-1. Water**

**Fresh clean water is available in sufficient quantity.**

#### **Quantity**

- a. Fresh clean water is available at all times to all individuals.
- b. Multiple water sources are available for group-housed feliforms to ensure high-ranking individuals do not dominate water sources.

#### **Quality**

- c. Water quality parameters are maintained at a generally acceptable level for feliforms in terms of turbidity, salts, etc.
- d. Potable water sources are tested for contaminants annually.
- e. All water sources (including water bowls) are cleaned at least daily, and more often if needed.
- f. If automatic water devices are not used in hot climates, water sources are shaded or changed multiple times to avoid overly hot water.
- g. If automatic water devices are not used, care is taken to ensure bowls are secured such that the feliform cannot tip it over, play with it or hide it from view and that water is available at all times.

#### **Automatic Water Devices**

- h. Devices are tested daily to ensure water is available.
- i. Devices are easily disabled when animals must be fasted for medical purposes.
- j. When monitoring of water consumption is required, an alternative means of providing water is devised.
- k. In colder climates, steps are taken (such as installation of heat sources) to ensure water consumption does not decrease with lower ambient air temperatures.

### **N-2. Diet**

**A properly balanced and healthy diet is provided appropriately based on the needs of each feliform following veterinary instructions for special needs.**

#### **General**

- a. A veterinarian or qualified nutritionist periodically reviews all aspects of feliform diet at the sanctuary.
- b. Diets of individual feliforms (including vitamin supplementation) are of a quality, quantity, and variety to match the physiological and psychological state of the individual as it changes over time, with consideration for the age, life stage, species, condition, and size of the individual.
- c. Food is wholesome, palatable, free from contamination and of sufficient quantity and nutritive value to maintain all feliforms in good health.



- d. The sanctuary utilizes a feeding regimen that ensures each individual receives adequate nutrition regardless of status in social group.
- e. Where possible and appropriate, each feliform's daily dietary needs are documented and made available to animal care staff.
- f. In open space enclosures, routine observation of feeding activity ensures all animals are able to access sufficient food.
- g. Other than commercial diets prepared specifically for feliforms, only food "fit for human consumption" is fed.

#### **Commercially Prepared Kibble/Dry Food**

- h. The basic nutritional needs of many feliform species are met by the use of a high quality commercially prepared complete feed with the addition of other meat sources, fruits and insects for enrichment and to ensure complete dietary balance.
- i. Species specific dietary information:
  - Civets, mongoose and genets may be maintained on a complete feline diet supplemented with
    - Rodents, day old chicks and fruit for civets.
    - Insects, small whole animals, cooked eggs and occasional fruit for mongoose.
    - Mealworms and small whole animals for genets.
  - Lisangs and binturongs may be fed commercially complete feline meat products supplemented with:
    - fruits, vegetables, eggs, insects and small whole animals for lisangs.
    - fruits, vegetables and seeds for binturongs
      - large carnivore kibble may be added several times weekly.
      - care is taken to ensure that excessively sweet fruits such as bananas are not consumed.
      - Binturongs re carefully monitored for weight gain.

#### **Animal Protein**

- j. Commercially available meat products may be offered in addition to kibble.
- k. Meat products are offered when the feliforms are most active and likely to consume the diet to reduce risk of spoilage.
- l. Cooked eggs may also be included in feliform diets.
- m. Fish makes up the major portion of otter diets and may be offered as part of the diet for other feliform species.

#### **Vegetables, Fruits and Seeds**

- n. Are offered to binturongs regularly and may be included in other feliform diets as appropriate.

#### **Vitamins/Supplements**

- o. Prior to offering supplemental vitamins, the health and condition of the individual feliform, as well as the diet, is reviewed by a nutritionist experienced in feliform care and/or the attending veterinarian.

#### **Treats/Enrichment items**

- p. Preferred food items from the basic diet can be reserved for enrichment.
- q. The calories in foods used as enrichment are considered when planning the overall diet.



### **N-3. Food Presentation and Feeding Techniques**

**Food is prepared and presented in a safe and appropriate manner to feliform health and social needs.**

#### **General**

- a. Feeding and drinking receptacles are placed in positions that minimize the risks of contamination from soiling by the feliforms themselves, wild birds, rodents and other potentially invasive species.
- b. Food receptacles, where used, are appropriate for the species housed in terms of number, size and placement, and are cleaned daily.
- c. Receptacles for animal food and water are designed to minimize spillage and are not used for any other purpose.
- d. Feliforms fed a balanced commercial diet are fed a minimum of once daily during the active feeding time of the species housed.

#### **Feeding Techniques**

- e. Food is provisioned at multiple feeding sites throughout enclosures to ensure all feliforms have access and to reduce or eliminate aggression that results from competition for food resources, especially preferred items.

#### **Diet Changes, Increases or Decreases**

- f. Adjustments made to an already formulated and nutritionally balanced diet are made to the entire diet to ensure continued nutritional balance.
- g. Considerations for diet increase include weight and condition of the feliform, food consumption, activity level and other medical or behavioral considerations.
- h. Diet increases or decreases are made in modest increments with animal response to the change assessed for a minimum period before additional changes are made.
- i. Underweight individuals experiencing health or behavioral problems may be separated for supplemental feeding as needed to avoid undesirable weight gain in conspecifics.

### **N-4. Food Storage**

**Food is stored appropriately.**

#### **General**

- a. Separate and secure facilities are provided for proper and hygienic storage of food.
- b. Dry goods are stored in clean, dry storage areas in sealed containers or on pallets. Products are dated and rotated to use oldest stock first, and expired foods, as well as bags damaged by pests, are discarded.
- c. Items frozen for use are dated and labeled, and no frozen items are thawed and refrozen. Items that are not fed frozen are thawed in a refrigerator to minimize risk of spoilage.



## **N-5. Food Handling**

**Food is handled and prepared in an appropriate manner to retain nutritional value, freshness, and freedom from spoilage, invasive species or other forms of contamination.**

### **General**

- a. Food is protected against dampness, deterioration, mold, and/or contamination by insects, birds, rodents or other animals.
- b. No food that is spoiled or otherwise contaminated is served.
- c. Diets are prepared in a safe and hygienic manner to reduce the possibility of contamination or spoilage.
- d. Separate cutting boards, utensils, and food preparation surfaces are used when meats, fish, and produce diets are prepared in a common kitchen area.
- e. Food preparation techniques meet all local, state/province, and national regulations.
- f. Food preparation surfaces are thoroughly cleaned after use.
- g. Staff and volunteers wash hands thoroughly prior to handling food, and wearing gloves during food preparation is recommended.

## **VETERINARY CARE**

---

### **V-1. General Medical Program and Staffing**

**There is a written veterinary medical program, overseen by a veterinarian, with adequate support staff at the Sanctuary, with 24/7 veterinary care available on call.**

- a. The sanctuary has a written veterinary medical program, including long term preventative medical protocols and disease surveillance and containment procedures, that is developed and carried out under the supervision of a licensed veterinarian – the attending veterinarian - who has training or experience in providing medical care for the feliforms and other species housed at the sanctuary, and who is aware of specific concerns regarding the feliforms at the sanctuary.
- b. One or more full-time veterinarians specifically concerned with the veterinary medical program is highly recommended for sanctuaries whose budget will support the salaries of such trained personnel. Sanctuaries unable to employ a full-time veterinarian have access to a part-time veterinarian, under a contractual or other similar arrangement, with training and appropriate experience with the feliforms housed at the sanctuary.
- c. Veterinary care is available 7 days per week and 24 hours per day for the sanctuary on an on-call basis when a veterinarian is not physically on grounds. When the primary veterinarian is unavailable, there are other suitably experienced veterinarians on call.
- d. There are support staff to carry out the following roles: (1) Husbandry (feliform caregivers), (2) Technical (medical technologists, veterinary nurses, or individuals trained at the sanctuary), and (3) Clerical. The sanctuary has available properly trained and qualified professional and supporting personnel as necessary to implement these roles.



- e. A staff member is trained to serve as a medical program director, dealing with emergencies until a veterinarian arrives or is reached. He or she is able to direct any restraint of the feliforms, be responsible for administration of post-surgical care, and be skilled in maintaining appropriate medical records.
- f. Medications are stored appropriately on site, according to label directions. Medications requiring refrigeration are stored separately from food items.

## **V-2. On-Site and Off-Site Veterinary Facilities**

**Veterinary facilities are appropriately located, designed and equipped.**

- a. Any on-site veterinary facility at the sanctuary meets all local and state/province building regulations
- b. Surfaces in the on-site veterinary facility with which feliforms can come in contact are non-toxic and can be readily disinfected.
- c. The on-site facility is located away from areas of heavy public use to minimize the noise levels for hospitalized feliforms.
- d. The on-site facility has separate areas for any of the following veterinary functions performed on-site: physical examinations and medical treatments, enclosures for hospitalized feliforms, sterile surgery, necropsy, medical quarantine, laboratory, radiology and pharmaceuticals storage which includes, when necessary, a safe for narcotics that meets the standards set by applicable regulations (e.g., the Drug Enforcement Administration [DEA] in the United States).
  - Food preparation areas, storage areas and staff locker room/housing with showers are separate from the medical facility.
- e. If the sanctuary does not have an on-site veterinary facility, or only a partially outfitted veterinary facility it has a contract or similar arrangement with a nearby veterinary hospital for off-site treatment as needed. The hospital should have a sterile surgical facility with anesthetic equipment to include radiology equipment, a laboratory, and pharmaceutical storage. If necropsies are performed at the hospital, there is a separate area for necropsies and a separate storage refrigerator for storage of carcasses.
- f. See also Standard V-4 "Clinical Pathology, Surgical, Treatment and Necropsy Facilities."

## **V-3. Preventative Medicine Program**

**The sanctuary has a complete preventative medicine program.**

- a. Appropriate preventative medicine programs are in place to manage all feliforms, with special attention paid to geriatric animals.
- b. The preventative medicine program includes quarantine procedures, parasite surveillance and control, immunization, contraception, infectious diseases screening, dental prophylaxis, and periodic reviews of diets, husbandry techniques and invasive species control.
- c. When circumstances permit, and as appropriate for the individual animal, an overall examination is performed annually, blood is collected, serum banked as a baseline control and the results are recorded. The attending veterinarian, in consultation with the sanctuary director, determines any schedule for routine physical examinations, including ocular, dental and musculoskeletal assessment, and implements any necessary treatment.



- d. A veterinarian, veterinary technician, or other trained personnel performs regular fecal examinations to look for parasites, protozoa and bacteria (random enclosure sampling is adequate for group-housed feliforms). Results are recorded. Fecal examinations are repeated following treatment to evaluate efficacy.
- e. All feliforms are immunized as recommended by the attending veterinarian, using currently recommended procedures and products as appropriate for the country, species and individual. Where possible, killed vaccines are utilized to minimize the potential for adverse reactions. Schedules and products are dictated by the disease status of domestic and wild animals in the area surrounding the sanctuary and relevant local and national laws.
- f. When feliforms are immunized, the type, serial number, and source of product are recorded in the individual animal's medical record.

#### **V-4. Clinical Pathology, Surgical, Treatment and Necropsy Facilities**

**Clinical pathology, surgical facilities and services, medical treatment for sanctuary feliforms and necropsy are all high quality, humane, professional, legal, and safe.**

##### **Clinical Pathology**

- a. Diagnostic laboratory services are available on- or off-site to assist with the examination of feliforms and the diagnosis of disease.
- b. Diagnostic capabilities include cytology, microbiology, parasitology, complete blood count, blood chemistry, urinalysis, serology and other appropriate laboratory procedures.

##### **Surgical**

- c. The sanctuary has access to surgical facilities (either on-site or at a nearby veterinary hospital) that are clean, free from excessive noise and unnecessary pedestrian traffic, have adequate lighting, ventilation, and temperature controls, and that can be easily cleaned and disinfected. For sanctuaries utilizing off-site aseptic surgical facilities, an on-site area that can be adapted for occasional or emergency aseptic surgical use is available.
- d. Surgical facilities have access to appropriate anesthetics including injectable and inhalant anesthetics, reversal agents, etc. Where gas anesthetic equipment, including scavenger units, is used equipment is cleaned and calibrated and filters are replaced, annually at a minimum. Gas cylinders are safely stored and replaced regularly.
- e. Facilities have sterilized surgical packs, surgical preparation solutions, intravenous fluids, fluid administration equipment, pulse oximetry, heart monitoring equipment (e.g. electrocardiogram, stethoscope), and emergency drugs on-site with appropriate maintenance and/or replacement schedules for each.
- f. Surgical facilities have access to gas anesthesia equipment with a gas scavenging system and oxygen, sterilized surgical packs, surgical preparation solutions, intravenous fluids, fluid administration equipment, pulse oximetry, heart monitoring equipment (e.g. electrocardiogram, stethoscope), and emergency drugs.
- g. If on-site, the sanctuary ensures that surgical equipment is maintained in good working order and is on a program of routine preventive maintenance.
- h. Only a licensed veterinarian performs surgery, using standard operating procedures. (Note: A veterinary technician appropriately trained by a veterinarian in states or provinces where such action is permitted by veterinary practice acts can perform surgical first aid.)
- i. The veterinarian uses aseptic surgical procedures whenever applicable.



- j. Veterinarians and support personnel are compassionate and knowledgeable about the humane aspects of feliform treatment, including the proper use of anesthetics, analgesics, and tranquilizers.
- k. Surgical incisions are observed daily, or as frequently as possible while minimizing stress to the feliforms, for signs of dehiscence or infection. Analgesics are administered post-operatively when appropriate.

#### **Treatment**

- l. Medications are maintained and used in accordance with local, state/province, and national laws and regulations and are administered in accordance with the state veterinary practice act, or equivalent outside the US.
- m. The sanctuary has a pharmacy on-site where routinely used drugs, such as emergency resuscitative medications, antibiotics, anthelmintics, fluids, anesthetics, analgesics, tranquilizers, etc. are maintained.
- n. All medications are purchased, prescribed, and administered under the guidance of the veterinarian.
- o. When distributed to feliform caregivers, medications are properly labeled and packaged, with the contents identified and instructions for the amount, frequency and duration of administration as well as the name and identification of the feliform to receive the medication, the expiration date of the medication, prescribing doctor and number of refills if any.
- p. All medical treatments and drug prescriptions are documented in the feliform's medical record.
- q. Basic physical capture and restraint equipment to facilitate medical treatment is available at the sanctuary.

#### **Necropsy**

- r. Whenever possible, there is an isolated area on the grounds for performing necropsies, or appropriate storage facilities until the deceased feliform can be transported to a facility for a postmortem examination as soon as possible, understanding that necropsies performed longer than 24 hours after death be of limited value due to autolysis. (Note: Any refrigerated area for holding dead feliforms is physically separate from live feliform holding, treatment, and surgery areas and from food supply storage or preparation areas.)
- s. Disposition of dead feliforms and their parts meet all legal restrictions.
- t. Dead specimens not used are incinerated or disposed of as deemed suitable by the veterinarian in accordance with local, state/province and national regulations.

### **V-5. Quarantine and Isolation of Feliforms**

**Appropriate quarantine and isolation policies and accommodations are in place and utilized.**

- a. Upon arrival, all feliforms undergo quarantine for a minimum of 30-60 days or according to the protocol established by the attending veterinarian, or for a greater period if required by applicable law. The quarantine period should be longer (at least 60-90 days) for those feliforms that have received minimal screening prior to arrival, such as feliforms from the wild. Feliforms previously housed together may be quarantined together.
- b. If the sanctuary does not have an adequate quarantine facility, steps should be taken to have feliforms undergo quarantine under these guidelines prior to their arrival.
- c. Local, state/province, or national regulations regarding quarantine of newly arrived feliforms are followed.



- d. All utensils and outer clothing used in quarantine are restricted to that area.
- e. Protective clothing, boots and footbaths are used by all staff entering the quarantine area or areas containing quarantined animals. Quarantine clothing is not removed from the quarantine area, except in a sealed container for cleaning.
- f. Caregivers wear protective gloves and masks when cleaning or handling anything with which the quarantine feliforms come into contact.
- g. Where possible, staff working in quarantine areas does not work with other sanctuary animals. If this is not possible, work is done in the quarantine areas last.
- h. Quarantine staff cares for newly admitted feliforms in their quarantine area before caring for sick animals, which are housed in separate isolation enclosures.
- i. The quarantine area allows for daily cleaning and sanitation, either with removable catch trays or a drainage system that allows fecal matter to flush into a septic system; waste is otherwise removed and disposed of properly.
- j. In enclosures housing animals carrying infectious or transmissible diseases, to the extent possible, all surfaces of the enclosure are properly sanitized.
- k. Quarantine areas have adequate ventilation, heat and air conditioning, which are used to ensure optimum conditions, particularly in the case of young, elderly or sick feliforms who may be more sensitive to environmental changes.
- l. Quarantine animal waste is handled separately from all other manure or compost at the facility. Because of the risk of disease transmission, quarantine waste is not spread on pastures or composted.

## **V-6. Medical Records and Controlled Substances**

**Complete medical records are maintained, appropriate statistics maintained, feliforms have permanent identification, and controlled substances are prescribed and stored legally.**

### **Medical Records**

- a. Complete medical records are maintained on all feliforms.
- b. Medical records are dated, legible and indicate examination findings, treatments (types of medication, dosage, duration), surgical procedures, anesthetic procedures (type of agent, dosage, effect), results of all laboratory tests (parasitologic, hematologic, bacteriologic, etc.) pathology reports, plus immunization records with all relevant dates, ape identification and nutrition/diet information, and, where applicable, necropsy reports.
- c. Copies of medical records accompany any feliform who is transferred to another sanctuary.
- d. Medical records are maintained under the direction of the veterinarian or trained ape caregiver. Where possible, duplicate record sets are stored at another site, or in a fire proof or theft proof safe on site or an online storage system.
- e. Statistics are tabulated regularly on the rates and nature of illness and mortality in the sanctuary.

### **Controlled Substances**

- f. Only a licensed veterinarian prescribes controlled substances used at the sanctuary, and all such substances are secured in accordance with any applicable laws.



- g. The sanctuary maintains appropriate records and logs for all controlled drugs used. All drug logs are kept up to date and comply with any national or other legal requirements (such as the Drug Enforcement Agency in the U.S.).
- h. Expired drugs are marked as such and stored separately.
- i. When disposing of drugs, they are discarded in accordance with applicable national, state, and local law and regulations (such as the USDA and DEA in the United States).

## **V-7. Breeding/Contraception**

**No intentional propagation of feliforms occurs, and sound practices are in place and implemented to prevent propagation and to properly care for infants born at the sanctuary.**

- a. Although GFAS recognizes the importance of appropriate “conservation breeding” programs, they fall outside the mandate of GFAS Accreditation programs unless they adhere to the following guidelines:
  - Animals are not brought into captivity for the purpose of breeding. Animals that are allowed to breed should enter a wildlife facility as a result of normal acquisition protocols such as surrender or government confiscation and be considered an endangered or threatened species with available release sites within the state/province, conducted with specific conservation goals, in accordance with local, state/province, national, and international law and regulations.
  - Breeding should not be forced – that is, not the result of artificial insemination or being placed in enclosures of insufficient size or otherwise not in keeping with GFAS standards.
  - Breeders – that is, the parent animals – should be released into the wild with their young. If breeding animals are deemed unreleasable, there should be documented evidence from a qualified professional that the animals cannot be released because of a physical condition or other reason that would make them unable to survive in the wild. Offspring of unreleasable parents should not be released until an age of species-specific maturity for survivability.
  - Unreleasable breeding animals should receive the care required of all animals under the GFAS standards and should not be maintained for the purpose of breeding if they have incurable or unmanageable pain or suffering and do not have an acceptable quality of life.
  - The facility should have an identified release site for the breeding animals and offspring, with any necessary permits or memoranda of understanding in place. While GFAS may consider whether a definite plan (such as ongoing surveys of land for potential release sites and a timeline for releasing animals) is sufficient, it will not be sufficient for a facility to simply say that it hopes or plans to be able to release the animals one day. Thus, a facility may not breed any animals in captivity, even highly endangered animals in order to create a sustainable population, without a definite release plan in place.
- b. The sanctuary has feliform -appropriate contraceptive programs in place with the method of contraception used based on current best practice and attending veterinarian recommendations. *(See Appendix 1 for further information on contraception methods for feliforms.*
- c. If females arrive at the facility pregnant, the sanctuary provides necessary care and the female is allowed to deliver unless there are valid health reasons for terminating the pregnancy, or unless the attending veterinarian feels the pregnancy is in such an early stage that aborting the fetus is an option, if so desired by the sanctuary. After delivery, reproductive control methods are applied after



allowing adequate time for weaning as appropriate for that feliform, provided there is no further opportunity for breeding during this period of time.

- d. Infants born at the sanctuary remain with the mother as appropriate for natural rearing, provided there is no further opportunity for breeding during this period of time. Infants are only removed from females for hand-rearing if there is a threat to the life of the infant or the mother.

## **V-8. Zoonotic Disease Program**

**The staff and sanctuary veterinarian are knowledgeable about zoonotic diseases that may affect feliforms at the sanctuary, and implement appropriate policies and procedures as needed to mitigate risk and deal with any exposures that occur.**

- a. The sanctuary's veterinarian is knowledgeable about zoonotic diseases that may affect feliforms at the sanctuary. All potential or emerging diseases have emergency procedures and a defined process to avoid transmission of diseases through bites, scratches, body fluids, direct contact with feliforms and other means. (Note: Additional precautions may be necessary for staff classified as increased risk of disease, including those who are immune-compromised.)
- b. A physician with expertise in infectious diseases is consulted whenever an employee contracts an unusual illness or is exposed to a feliform diagnosed with a zoonotic disease.
- c. When a reportable disease is identified, all appropriate local, state/province, and national regulatory officials are contacted.
- d. All areas in which the staff has direct contact with feliforms have hand-washing facilities available in the immediate vicinity (or an equivalent; e.g., bactericidal hand-wipes)
- e. Human food consumption by the staff does not occur in the immediate area of feliform contact.
- f. Rabies testing and vaccination protocols vary by location. Federal, state or province and local rabies prevention protocols supersede recommendations made in this document.
- g. See also Standard S-8 (" First Aid and Zoonotic Disease Training, and Staff First Aid ").

## **WELL BEING AND HANDLING OF FELIFORMS**

---

### **W-1. Physical Well-Being**

**All feliforms are routinely monitored to ensure their physical well-being. All aspects of husbandry, including veterinary care, environmental enrichment and diet are designed to optimize the feliforms' physical well-being.**

- a. The welfare of each individual feliform is the overriding consideration in all sanctuary actions.
- b. Feliforms are able to enjoy lives that are as close as possible to that of their wild counterparts as regards stimulation and interest. This is achieved by adopting husbandry and management procedures, including appropriate housing and enclosure design, environmental enrichment programs, positive reinforcement training programs and a balanced diet to meet nutritional requirements.
- c. Feliforms are provided with species appropriate opportunities to dig, climb, bathe, forage for food, and play by providing species-appropriate climbing structures, burrowing/digging areas, water features, a



variety of plants and substrates and other enclosure enhancements and there are places to hide and rest in comfort.

- d. Regular assessments are performed in an effort to quantify and measure the welfare of individual animals through monitoring of nutritional, physical and social conditions. Qualified personnel conduct daily observations of each feliform to monitor for signs of physical abnormalities. Any unusual activities are recorded in a log at each inspection. Sudden changes in food consumption and other behaviors are immediately brought to the attention of supervisory staff. Note: In open space enclosures, it may not be possible to observe each animal on a daily basis. In such habitats, it is important to get an accurate count and to spend time observing all feliforms on a weekly basis.
- e. Where possible and appropriate, records of individual feliforms are kept to provide both behavioral and veterinary history.
- f. Where possible and appropriate, each feliform is weighed annually, either during a routine physical or through the use of a built-in scale, to monitor for signs of illness and to determine dosages for chemical anesthetics.
- g. Positive reinforcement training may be appropriate for feliforms who enjoy interacting with people, to provide additional enrichment and reduce the need for chemical immobilization and to reduce stress during medical intervention.



## **W-2. Social Housing**

**Feliforms are grouped appropriately with the safety of animals and staff in mind.**

### **General**

- a. Feliforms housed together are compatible and all feliforms have ample space to retreat and hide as needed while social tensions are resolved.
- b. Feliforms are not housed near animals that interfere with their health or cause them physical or psychological discomfort.
- c. Habitats are of sufficient size to allow appropriate space between individuals in social groupings and to allow for temporary isolation from conspecifics.
- d. Feliforms are housed so that no individual endures constant harassment or suffers physical injury, and so social behaviors do not prevent any individual from maintaining proper nutrition and hydration.
- e. Close attention is paid to feliforms in social housing, with age, species, and sex of animals housed together taken into account.

### **Species-appropriate Housing**

- f. Binturong, most civets, genets and banded lisang may be housed singly as they are naturally solitary or as pairs, with appropriate introductions. Some binturongs may be group housed.
- g. All mongoose species are social and appropriate grouping include: adult male, adult female and multiple juveniles or mixed age, mixed sex groups.

### **Solitary Housing**

- h. Is temporary in general and reserved for situations including but not limited to quarantine, medical assessment or care, lack of appropriate social partners, or social tension resulting in disruption to the main group/pack or physical aggression leading to injuries.
  - As possible and appropriate, feliforms housed alone temporarily are given visual, olfactory and auditory contact with their social group.
  - Solitary species may be housed alone provided they are regularly monitored for behavioral issues.

### **Mixed Species Housing**

- i. Mixed species situations are not recommended for feliforms due to natural aggressive and predatory behaviors.

## **W-3. Introduction of Unfamiliar Individuals**

**Introduction of any new feliform to a social group is done according to techniques appropriate for each species, with staff safety ensured.**

### **General**

- a. Introduction of unfamiliar feliforms is carefully considered. Professionals with experience in social introductions, if not on staff, are consulted whenever possible during these considerations.
- b. As a first step, feliforms are given visual and olfactory contact prior to physical contact.



- c. Feliform introductions are monitored closely for several days for tension, aggression, shifts in dominance, territoriality, etc.
- d. Food and water consumption is monitored carefully to ensure that all feliforms are able to access food/water. Staff ensures feliforms are not hiding, unable to approach/access food and water.
- e. Feliforms have access to separate shelter, ample room to move away from each other and no opportunities for an animal to be cornered.
- f. As needed and possible, information listed below is gathered for the introduction planning process:
  - A list of individual animals to be introduced, including all that the sanctuary ultimately hopes to integrate into a group.
  - Background of each individual, including but not limited to: age and gender; social experience with other feliforms; rearing history (hand-reared, parent reared, time spent with mother and siblings).
- g. As appropriate or needed, benchmarks or desired outcomes are identified for each step in the process. Examples include:
  - physical location of animals during visual/olfactory contact period;
  - behavioral goals of visual/olfactory contact period;
  - benchmarks for proceeding to physical introduction;
  - space and enclosures to be used for physical introduction;
  - reasons location selected: neutral space, ample run around, visual barriers, doors that can be closed to protect animals in trouble etc.;
  - set-up for physical introduction, enrichment etc.;
  - emergency equipment that might be needed;
  - time frame necessary to acclimate animals to presence of equipment;
  - criteria for separating animals if physical introduction does not proceed safely;
  - post introduction management and husbandry protocols.
- h. The plan is developed with involvement of all staff involved with care of the species and details a series of steps that will be taken to integrate the individual animals involved. Necessary modifications to enclosures are identified and completed prior to beginning the process.
- i. The plan establishes behavioral goals for introductions and is not driven by schedules, and is open to modification as introduction/integration develops and evolves.
- j. Only normally scheduled caregivers and animal managers are present to directly observe. Individuals who are not routinely present in the animal area, including veterinary and management staff, observe via remote video or receive reports from staff.
- k. All caregivers have a clear understanding of the plan including contingencies for problems that might occur, and are empowered to take appropriate action in the event of perceived emergency.
- l. If the introduction is not successful, no attempt is made to reunite the individuals until housing or social circumstances can be changed or other factors that may have contributed to the problems, such as breeding season, have been resolved.



## **W-4. Behavioral/Psychological Well-Being**

**The behavioral/psychological well-being of each feliform is evaluated and addressed, and a welfare plan and report is part of each feliform's file.**

### **General**

- a. There is a formal, written enrichment program that promotes species-appropriate behavioral opportunities and ensures the captive feliforms' psychological well-being. A complete environmental enrichment program includes the following:
  - Structural enrichment - Enclosure design and furniture that add complexity to the environment and promote species-specific behavior.
  - Object enrichment – Objects that encourage inspection and manipulation and promote species-specific behavior.
  - Food enrichment - Varying food choices and food presentation.
  - Social enrichment - Affiliative interactions between caregivers and feliforms may be appropriate in some instances. The decision to include social enrichment with caregivers should be made on an individual basis, considering only the social needs of the animal, such as solitary animals, particularly those hand reared by humans with no conspecific contact or neonatal and juvenile animals in situations where appropriate.
- b. All feliform care staff are trained to recognize abnormal behavior and clinical signs of illness. Measures of well-being that are assessed include:
  - species appropriate behavior and interaction with other animals;
  - the animal's ability to respond appropriately to variable environmental conditions, physiological states, developmental stages, and social situations as well as adverse stimuli.
- c. Stereotypic behavior, self-injurious behavior, and inappropriate responses to various stimuli not previously documented or witnessed may be evidence of compromised well-being and are investigated. A welfare plan to address the concerns is developed.
- d. Where possible and appropriate, a behavioral/psychological profile is maintained for each individual feliform and updated annually and a copy is kept in the feliform's permanent file.

## **W-5. Feliform-Caregiver Relationships**

**Positive relationships between feliforms and caregivers are maintained. Feliforms are not fearful or aggressive in response to human presence or routine care procedures.**

### **General**

- a. Feliforms arrive at sanctuaries with a variety of previous experience with caregivers, which caregivers take into account in their interactions with these species.
- b. Facility design plays a key role in caregiver-feliform safety and the ability to maintain a positive relationship.
- c. A protocol for introducing feliforms to new caregiver staff has been developed. Where possible, new caregivers accompany a trusted caregiver until the feliforms become comfortable with the new individual.



- d. A positive relationship between the feliforms and regular caregivers, animal managers and veterinary staff is one in which the feliforms are given the freedom to integrate with their conspecific social group with minimal human interference or to interact regularly with caregivers if they choose.
- e. Where possible and appropriate, animals become familiar with the veterinary staff, allowing close observation. Individual feliform preference for interaction with caregivers, animal managers and veterinary staff is taken into account.
- f. The animals do not become fearful or overly aggressive in response to human presence or routine care procedures.
- g. Interactions with feliforms do not cause overheating, excessive cooling, physical harm, or unnecessary discomfort, and minimizes physical and psychological stress or trauma as much as possible.
- h. Negative interactions are avoided. However, when they occur, efforts are made to recover trust and a positive relationship if the feliform enjoys regular interaction with people
- i. Physical abuse, deprivation of food or water, aversive spraying with a hose, and other forms of negative reinforcement or punishment-based training are never used to train, shift or otherwise handle feliforms. Note: This does not preclude the use of hoses or other watering devices in caring for the feliforms who enjoy this form of enrichment.

## **W-6. Handling and Restraint**

**Any necessary handling and restraint is done safely and appropriately, with minimal distress to feliforms, and staff are trained in feliform-specific safe handling techniques/practices.**

### **General**

- a. In general, humans do not enter enclosures with feliforms. Direct physical interaction is limited to protected forms of contact, by experienced personnel, to minimize the risk of injury.
- b. Handling for veterinary care is done as expeditiously and carefully as possible in a manner that does not cause trauma, overheating, excessive cooling, physical harm, or unnecessary discomfort, and minimizes physical and psychological stress as much as possible.
- c. In general, manual capture and restraint of adult animals is not used on feliforms and is not attempted when multiple animals are present in an enclosure.
- d. Civets may be captured using nest boxes that are designed to be easily and quietly closed while the animal is resting or by using a catch bag attached to the nest box.
- e. If physical restraint or drug delivery systems must be used, the lightest and least stressful methods that are appropriate are chosen, bearing in mind the safety of staff and animal.
- f. Feliforms are chemically immobilized by qualified personnel when direct handling is necessary (*i.e.*, physical exams). Chemical immobilization is performed only by a licensed veterinarian or by trained staff under the guidance of a licensed veterinarian, or other qualified individuals authorized by the sanctuary director or veterinarian, following the laws and regulations of country where the animals are housed. Specific anesthetic protocols, including record-keeping, are followed.
- g. Chemical restraint is not used when multiple animals are in an enclosure except in an emergency situation. In such cases, all possible precautions are taken to prevent threats to the handlers and the animal being sedated.



- h. Multiple staff members are trained to use a dart gun and other restraint equipment, and to employ safe capture techniques. The staff, and volunteers where appropriate, are aware of who is trained and authorized to use restraint equipment.
- i. As part of their training, staff members are instructed to report any medical conditions or physical limitations that may hinder their ability to employ safe capture techniques.
- j. Where possible and appropriate, Positive Reinforcement Training is used to minimize the need for chemical immobilization and to reduce stress during procedures.
  - With appropriate training, many procedures can be performed cooperatively and without anesthesia, such as examination of body parts, treatment of superficial injury, heart rate monitoring, injection administration, etc.
  - Many feliforms can be conditioned to enter a squeeze cage or lockout area. Where this method of restraint is used, attachments for crates and squeeze cages are included in facility design or modifications.

## STAFFING

---

### GENERAL STAFFING

#### S-1. General Staffing Considerations

**The sanctuary has a sufficient number of staff and volunteers, adequately supervised, to provide humane care, with clear job duties and equitable compensation.**

- a. The sanctuary employs or enlists a sufficient number of qualified employees or volunteers to provide the appropriate level of care for the feliforms and to ensure adequate supervision of all employees and volunteers. (Note: Staff-to-animal ratio will vary greatly given the nature of the facility and the type of feliform and other animals at the sanctuary.)
- b. As described in Standard G-3 (Succession Planning), there is a written job description for the sanctuary director and other senior management positions at the sanctuary, providing a clear description of their duties and responsibilities.
- c. A list is maintained of all staff/volunteers authorized to work with feliforms, indicating lines of responsibility. Staff receives fair compensation commensurate with their skills. At a minimum, each salary complies with generally accepted standards of compensation for employees of the sanctuary.
- d. There is a clear management structure within the sanctuary, which is communicated to all employees, and to volunteers as appropriate.

#### S-2. Security and Emergency Coverage

**Staff is available at all times to respond to emergencies.**

- a. A qualified senior staff member or the sanctuary director should live on the sanctuary grounds. If no one lives on sanctuary grounds, then at least one trained and qualified staff member or trained volunteer is on the sanctuary grounds at all times, and a staff member is immediately reachable via telephone, radio or pager, 24 hours a day, 7 days a week.



- b. The director is generally available to the sanctuary on a full-time basis (40 hours per week); when the director is not available due to vacation or another reason, there is a designated back-up from among the senior staff. Staff has various means to contact the director at all times in case of emergency.
- c. A qualified veterinarian trained in the care of the feliforms housed is available in person or via phone at all times in case of emergency.

### **S-3. Volunteer and Internship Programs**

**Volunteers and Interns are appropriately supervised, and those playing an integral role in the sanctuary receive the manuals, training and safety protocols.**

- a. Any volunteers/interns and community workers have a specific employee/staff member assigned with directing their recruitment, training and supervision.
- b. Any volunteers/interns and community service workers allowed to work with or around feliforms do so only under the appropriate level of supervision of a fully trained feliform caregiver.
- c. Volunteers/interns who play an integral role in the sanctuary are treated as an employee would be treated, regarding the provision of manuals, training, and safety.

### **S-4. Manuals**

**The sanctuary has a current employee manual, standard operating procedure manual, and, if applicable, manuals for volunteer and internship programs. Manuals are reviewed and updated regularly.**

- a. The sanctuary has a written employee manual that includes information pertaining to topics including: personnel practices, employee benefits, leave of absence, sick leave, personal appearance and conduct, environmental concerns, filing complaints, and performance evaluation. The employee manual is given to all new employees.
- b. A standard operating procedure (SOP) manual is available on the premises and in a location accessible to the staff at all times. The manual contains a detailed outline of all daily procedures, as well as emergency protocols and other policies relating to the care and safety of the feliforms.
- c. Care procedures for each feliform species at the sanctuary, as well as other animals at the sanctuary, are written down (either in the SOP manual or elsewhere) and include detailed information specific to that species or individual.
- d. If the sanctuary has a volunteer and/or intern program, it has prepared manuals outlining volunteer and/or intern responsibilities. Copies of the manuals are given to all new volunteers and/or interns.
- e. All manuals are reviewed at least annually and updated as necessary, and employees, volunteers and interns are advised of any changes.



## **S-5. Employee Training and Continuing Education**

**Training and supervision are carried out in a manner to ensure the highest and safest level of care for the feliforms, including during unforeseen changes in personnel.**

- a. New employees participate in a probationary training period suitable to the species in question and under the strict supervision of a fully trained senior staff member before working directly with feliforms at the sanctuary.
- b. At least one staff member and backup are trained in all aspects of feliform care for all species housed at the sanctuary to ensure that an experienced caregiver is always available to care for all feliforms in case of personnel changes; and that staff member and backup are noted in writing.
- c. The sanctuary Director ensures that plans for continuing education to improve feliform care and management techniques are in place.
- d. Continuous in-house staff training and development (including availability of relevant literature) is offered to employees, and volunteers as appropriate, including such topics as: feliform husbandry, feliform welfare, health and safety, first aid, action in emergencies or escapes or illness, safety procedures, emergency euthanasia, basic sampling for health monitoring and diagnosis, food hygiene, disease prevention.

## **SAFETY POLICIES, PROTOCOLS AND TRAINING**

### **S-6. Communication System**

**The sanctuary has a reliable communication system in place.**

- a. A reliable communication system, with back ups such as pagers, 2-way radios, cell phones, intercoms, or other electronic devices is in place, with a back-up system.

### **S-7. Emergency Response Plans and Protocols**

**The sanctuary has appropriate written disaster preparedness plans in place, needed information is posted, and appropriate coordination takes place with community emergency services.**

- a. The sanctuary has a written disaster preparedness plan in place to cover emergency procedures in the event of a natural disaster, fire, injury, etc. The plan has taken into account all necessary feliform handling under situations of extreme stress.
- b. The written plan is provided to staff and, where appropriate, volunteers.
- c. Emergency information is posted throughout the sanctuary indicating emergency contacts and phone numbers including the local police department, fire department, attending veterinarian, sanctuary director, supervising staff members, location of nearest hospital and other important information.



- d. A detailed outline of communication lines, procedures and locations of all exits and entrances to the sanctuary are clearly defined and known by the entire staff. This information is reviewed for needed updates periodically. Maps are posted throughout the sanctuary indicating the best evacuation route.
- e. All emergency plans are coordinated with local community emergency services as appropriate including fire, police, hospitals, and ambulance services. Appropriate community personnel and agencies are aware that feliforms are housed at the sanctuary.
- f. The location of the sanctuary does not pose any undue hazards and minimizes risk from natural disasters (e.g. flood zone, riverbed). If such risks are present, the sanctuary has addressed this in the written disaster plan.
- g. The sanctuary is located in an area that is removed from heavily developed areas to the extent possible. If the sanctuary is near heavily developed areas, it has taken steps to address problems this may cause for the surrounding community or the feliforms.
- h. A secure location is identified where feliform records (*i.e.*, acquisition, transport, medical, welfare assessment reports) are protected from fire, flood, and other hazards. (Note: Backed up offsite storage and web-based storage of electronic records is one method.) Governance documents, financial records, and permits and licenses are also stored securely.
- i. Provisions are made for long-term archiving in a secure format. A regularly backed-up copy should be stored in a separate location or online.

## **S-8. Escaped Feliform Protocol**

**A detailed and appropriate written escaped feliform protocol is in place and understood by staff and local emergency services; and any escapes are detailed in reports.**

- a. A detailed written escaped feliform protocol is in place addressing situations in which feliforms escape from their enclosures, regardless of whether the feliforms have escaped sanctuary property, and is reviewed and understood by all staff, and volunteers as appropriate.
- b. The protocol is shared with local emergency services such as the fire and police departments.
- c. The protocol includes the following:
  - A clearly defined chain of command in an emergency situation;
  - A notification hierarchy, indicating who to contact first, second, third and so on in case of an escape;
  - Possible feliform escapes occurring during off-hours, when staff may not be immediately available.
  - A communication system allowing for clear communication with sanctuary staff of all pertinent escape information including the type of escaped by species, age, sex and location;
- d. Clear plans and routes for personnel safety are plotted and displayed throughout the sanctuary.
- e. All escapes are recorded and detailed reports made.



## **S-9. Emergency Training**

**Staff participates in ongoing training for emergency response, and drills are conducted regularly.**

- a. All staff, and volunteers where appropriate, participates in ongoing training on all emergency, escape, and disaster preparedness procedures consistent with the sanctuary's written protocols, with drills held at a minimum of every 6 months.
- b. Records of training are maintained, including a list of those staff and volunteers who participated in training. Drills are evaluated to ensure that procedures are being followed, that the sanctuary's communication system is effective, that staff training is effective, and that improvements to protocols are made where appropriate.

## **S-10. Firearm Policy**

**The sanctuary has a written firearm policy, including identified personnel, and covering proper care and storage of firearms.**

*(Note: Not applicable for sanctuaries that do not need or use firearms.)*

- a. A written firearm policy exists in compliance with all applicable laws; and personnel qualified to use firearms are identified and made known to sanctuary staff.
- b. Firearms, ammunition, where provided, are available for immediate use, used by licensed and trained operators only, cleaned and maintained and tested as recommended by the manufacturer, and kept securely under lock and key when not in use or under maintenance.

## **S-11. Firearm Training**

**If the sanctuary has firearms, appropriate staff are identified for weapons training, and receive documented and up-to-date training.**

*(Note: This standard may be waived when firearms are not needed or used at the sanctuary.)*

- a. All staff qualified and licensed to use firearms undergo training and periodic refresher training and practice, including a review of current sanctuary protocols and policies. Such training is recorded.

## **S-12. Chemical Restraint**

**The sanctuary has a written chemical restraint policy, which covers appropriate use, maintenance and storage of chemical restraint equipment and attendant drugs.**

- a. A written policy for the humane chemical restraint and safe capture of feliforms housed at the sanctuary is in place and in compliance with the Drug Enforcement Agency (or comparable agency outside the United States), to include:



- Training and certification in the equipment, humane chemical restraint, immobilization process, and the use of drugs for veterinary purposes or emergencies;
  - Procedures listing at a minimum those persons authorized to administer animal drugs, situations in which they are to be utilized, location of animal drugs in a safe and secure place, and those persons with access to them, and an emergency procedure in the event of accidental human exposure.
- b. The sanctuary's policy provides for qualified personnel to partake in appropriate training programs on the safe and humane use of chemical restraint and immobilization equipment.
- c. All chemical restraint equipment is cleaned after each use, maintained in good working order and tested on a regular basis.

### **S-13. First Aid and Zoonotic Disease Training, and Staff First Aid**

**An appropriate written first-aid plan is in place, staff (and volunteers where appropriate) is informed when a zoonotic disease occurs at the sanctuary, and training is provided to staff and, as appropriate, volunteers.**

- a. The sanctuary has a written first-aid plan that is accessible to all staff on the premises, and to volunteers as appropriate.
- b. Staff, and volunteers as appropriate, are trained in basic first aid.
- c. Written instructions are provided for staff (and volunteers as appropriate) on the provision of emergency health care and the procedures to be followed in the event of an incident involving any feliform and a visitor, volunteer or staff member, including (when appropriate) handouts with any special information that any attendant health care professional, on site or off, should know to help the victim and/or keep health care attendants safe from potential zoonotic diseases. First-aid stations that are readily and easily accessible and are located throughout the sanctuary.
- d. Employees, and volunteers where appropriate, have adequate training to understand the potential risk of disease transmission, including potential sources of disease, modes of disease transmission, and clinical signs associated with disease. Each signs a form that clearly states that he/she has been fully trained in these procedures. Training and attendance are logged.
- e. All staff and active volunteers are informed when a zoonotic disease occurs at the sanctuary.
- f. See also Standard V-8, Zoonotic Disease Program.



## **GOVERNANCE AND FINANCE**

---

### **GOVERNING AUTHORITY**

*(Note: The term “Board of Directors” is used in this section to reference the governing authority for the sanctuary. In some instances, another term may be used (e.g., “Trustees”).*

#### **G-1. Nonprofit/ Non-Commercial Status**

**The sanctuary and/or its governing organization has a national legal nonprofit status, or is operated as a non-commercial entity by a national or local government.**

- a. A facility and/or its governing body (if the facility is a program of one or more organizations) satisfies one of the following:
  - A sanctuary, or its governing organization has obtained national nonprofit status in the country of governance or operation. For example, sanctuaries located in or operated by organizations in the United States or its territories should have 501(c) 3 status, and sanctuaries located in or operated by organizations in the United Kingdom should have registered charity status.
  - A facility (such as a wildlife rescue center) is operated as a non-commercial entity by a national or local government.
- b. An exception to this standard will be made if non-profit registration is not available in the country of governance or operation.

#### **G-2. Ownership of Sanctuary Property and Contingency Planning**

**Sustainability of the sanctuary is promoted by ownership of the sanctuary property or a proper written lease agreement.**

- a. All property on which the sanctuary sits is held in the name of the sanctuary (or its governing organization) as either owner or lessee.
- b. The sanctuary’s governing body has confirmed that the sanctuary is located on property for which it is allowable (by law or regulation, such as zoning laws) to operate the facility and the activities conducted by the organization.
- c. If the sanctuary is on another person’s property [e.g., housed in someone’s home or on their land, including government land], there needs to be a written lease agreement between the property owner and the sanctuary (or its governing organization).
- d. If property is leased, a long-term (ten years or longer) contractual lease is in place, with a termination clause requiring sufficient notice (a minimum of a year) to allow the sanctuary to relocate or transfer its animals to another appropriate facility that has committed to providing their lifetime care.
- e. If property is leased, the sanctuary should have a written contingency plan describing the steps to take to relocate or transfer its animals to another appropriate facility at the end of the lease, or upon an unexpected termination of the lease.

#### **G-3. Succession Planning**

**The sanctuary has a written succession plan for its continuance should the director or other key management be unable to continue in their positions.**



- a. The sanctuary has a written plan outlining succession scenarios for key positions within the sanctuary, covering at a minimum the sanctuary director. Depending on the structure of the sanctuary management, this may also cover the assistant director, director of operations, director of finance, etc.
- b. For the director position as well as other key management, written job descriptions should exist outlining the primary functions and responsibilities of each position.
- c. The succession plan should include an emergency plan outlining who will carry out the key responsibilities in the event of a sudden and unexpected absence by the director or other key management in both short- and long-term scenarios.
- d. A succession plan should also define the role of the Board of Directors/Trustees in overseeing transition in the event of a planned departure of the sanctuary's director, including functions such as hiring and oversight of an interim director, determining salary ranges, re-assignment of responsibilities, and the appointment of a transition committee.

#### **G-4. Board of Directors/Trustees**

**The Board of Directors/Trustees organizes itself and carries out its duties in an appropriate, legal and responsible manner, and has appropriate relationships with staff and volunteers.**

- a. A Board of Directors/Trustees is in place with a minimum of three (3) members, or a greater number if required by law, where at least one board member is not a family member.
- b. The Board of Directors/Trustees has organized itself in a manner that allows its duties to be carried out in a timely and responsible manner and in accordance with all relevant non-profit regulations.
- c. Bylaws, in accordance with applicable law, have been developed and adopted as the general policies and rules that govern the sanctuary and define the Board's composition and structure.
- d. The Board of Directors/Trustees has regularly scheduled meetings, and minutes are kept. The Board has a written position description describing the responsibilities of its members, and members are knowledgeable of their legal obligations and accept responsibility for self-regulation, accountability, ethical practice of the sanctuary, and sound financial management and oversight.
- e. The Board is supportive of the sanctuary abiding by GFAS standards.

#### **G-5. Ethics and Grievance Procedures**

**The sanctuary's policies and actions of the Board and staff reflect adherence to a high code of professionalism and ethics.**

- a. Business and related activities, including outreach and interactions with other sanctuaries, are conducted in a professional manner, with honesty, integrity, compassion and commitment, realizing that an individual's behavior reflects on the sanctuary and greater humane communities as a whole. A code of ethics/conduct for the sanctuary has been adopted by the Board of Directors/Trustees.
  - The code of ethics/conduct addresses the core values of: integrity, openness, accountability, service and charity, and reinforces standards of professional behavior. (Note: In recognition that some animals are used for food, and sanctuaries are in the business of protecting animals, all



sanctuaries should ensure that their sanctuary events are conducted in a manner that is consistent with their mission.)

- All personnel associated with the sanctuary, including volunteers, have been provided with access to the code of ethics/conduct and have agreed to adhere to it.
- b. The sanctuary has a written Conflict of Interest policy prohibiting any Board member, Director, or key employee from approving or voting on a transaction in which he or she has a monetary or other interest. Members of the Board of Directors and the Director, as well as key employees as appropriate, are asked to sign written acknowledgements of receipt of the policy and have disclosed potential conflicts of interest.
- c. The sanctuary has a written anti-discrimination policy, specifically referring to any protected class under law.
- d. There is a written grievance process that is clearly communicated to the staff and volunteers to communicate the procedure for reporting a concern regarding workplace-related issues, including ethics complaints; includes an alternate pathway if the normal person to whom one should take concerns is non-responsive or the focus of the concern; and allows for fair, prompt and meaningful resolution.

## **G-6. Required Licenses and Permits**

**The Sanctuary has all legally required licenses and permits (or other necessary government approval) to operate as a sanctuary and to house each animal.**

- a. The sanctuary obtains and maintains all permits and licenses required under city, county, state/province, country and international laws and statutes for each animal housed at the sanctuary.

## **G-7. Strategic Planning**

**The sanctuary has at least a three-year strategic plan in writing, to provide a structure upon which to base the fundamental actions that guide and shape operations.**

- a. The sanctuary has a written strategic plan in place, developed by the Board of Directors and Director, with input from other sanctuary management and staff where appropriate, that provides a structure within which fundamental actions of the sanctuary are based to shape and guide sanctuary operation. The strategic plan addresses at a minimum three years.

# **FINANCIAL RECORDS AND STABILITY**

---

## **F-1. Budget and Financial Plan**

**The sanctuary maintains an annual operating budget and a long-term financial plan.**

- a. An annual operating budget exists and reflects estimated future expenditures. The budget includes expenses related to staffing salaries and benefits, overhead expenses, supplies, capital improvements, ongoing maintenance, etc. The budget is approved by the Board of Directors/Trustees.



- b. Periodically during the year, the estimated budget is compared to the actual expenses of the sanctuary and where necessary, appropriate adjustments are reflected in future estimated expenditures.
- c. The sanctuary has a long-term (minimum of three years) financial plan that projects future revenue and expenses, consistent with priorities set out in the strategic plan. The plan builds in protection for the care of the animals (*such as* creating a “bare bones” budget; seeking endowments for lifetime care of animals; building up increased operating reserves; entering into written agreements with other facilities to take animals in the event of closure of the sanctuary; or other such “safety nets”) in the event that significant decreases in operating income occur.

## **F-2. Financial Reports**

**The sanctuary keeps accurate and complete financial records.**

- a. Detailed, accurate periodic financial reports are kept on file. The sanctuary produces on a regular basis (at least annually) the following financial statements:
  - A Statement of Financial Position (also known as the Balance Sheet);
  - A Statement of Activities (also known as the Statement of Revenues and Expenses, or Operating Statement, or Income Statement, or Profit and Loss Statement); and
  - A Statement of Cash Flows.
- b. Other pertinent information, such as loan amortization schedules and lease commitments, are also maintained and updated at least annually.
- c. Copies of IRS Forms 990 (or comparable documents required to be filed to maintain non-profit status outside of the United States) and other tax documents, such as exempt status determination letters, are kept on file with other sanctuary documents and are available for public review, as required by law.

## **F-3. Financial Stability**

**The sanctuary has a strategy in place for securing and maintaining at least minimal financial reserves.**

- a. The sanctuary has a strategy in place, as reflected in strategic and financial plans, to maintain reserves equal to at least three months (or one month to achieve GFAS verification) of those operating costs essential to the proper care and welfare of the sanctuary animals.
- b. Consideration may also be given to cash equivalents as well as advance purchases of food, supplies, etc.
- c. See also Standard F-1(c).

## **F-4. Banking Responsibilities and Financial Transactions**

**The sanctuary maintains a bank account, keeps personal and sanctuary business separate, and properly records all contributions, petty cash transactions, and loans to the sanctuary.**



- a. There is a checking account registered in the sanctuary's name that is used only for sanctuary financial transactions.
- b. Personal business is kept completely separate from the sanctuary's business (e.g., staff and Board members cannot use sanctuary funds to pay for personal expenses or take loans from sanctuary funds).
- c. If the sanctuary is being funded through personal loans, loan documents are signed and maintained in the accounting record. Repayment schedules are developed and followed.
- d. All contributions from donors are properly documented and promptly deposited. Donors are provided with receipts as required in accordance with applicable laws or regulations.
- e. If petty cash is kept on hand, transactions are documented and receipts are kept on file substantiating the related expenditures.

## **F-5. Fundraising Activities and Disclosures**

**Fundraising is conducted in a legal, ethical and transparent manner.**

- a. Fundraising techniques conform to applicable tax regulations for maintaining non-profit status (e.g., sec. 501(c)(3) status in the United States) and conform to the spirit as well as the letter of all applicable laws and regulations.
- b. Fundraising activities are conducted with honesty and integrity, and put the charitable mission of the sanctuary above personal gain.
- c. All fundraising and soliciting materials are accurate, do not exaggerate financial needs nor incorrectly claim sole credit for joint efforts, correctly reflect the sanctuary's mission and use of solicited funds, and do not threaten to betray the mission by making misleading and unprofessional statements (e.g., claiming animals will have to be euthanized if donations are not received immediately).
- d. The sanctuary ensures proper stewardship of charitable contributions, including timely reports (e.g., tax filings, annual reports, reports required by funders) on the use and management of funds. Restricted funds are expended in accordance with donor's intentions. Explicit consent by the donor is obtained before altering restrictions or conditions of a gift.
- e. Fundraising expenses are reasonable, and total fundraising expense is disclosed on financial reports and any required tax filings.
- f. Fundraisers for the sanctuary ensure that all information provided to donors is accurate and complete. Any statements about the taxable nature of donations indicate that all or part of the donation may be tax deductible as a charitable contribution under applicable law.

## **F-6. Insurance and Waivers**

**The sanctuary has adequate insurance coverage and secures signed waivers from visitors and volunteers who enter the sanctuary property.**

- a. Insurance policies, where available, are in place that protect the financial resources of the sanctuary and staff, as well as protect the community from harm that the sanctuary might cause. The amount of coverage is commensurate with the size of the sanctuary and the implied risk associated with the animals housed at the sanctuary. Where available, this includes General Liability insurance and a management liability policy (often called Directors & Officers or "D & O").



- b. Visitors and volunteers sign waivers that acknowledge the potential risks of being on sanctuary property.

## EDUCATION AND OUTREACH

---

**Education programs are thoughtfully designed and overseen to promote a humane ethic, with careful respect and protection of all aspects of the individual welfare of the feliforms involved, and ensuring public safety.**

### E-1. Education Programs

*(Note: Not applicable for sanctuaries that do not have an education program.)*

- a. Any education program is designed to promote awareness, empathy, and respect for all life through education and advocacy insofar as resources permit, and portray the issues surrounding why individual feliforms reside at the sanctuary, the feliforms' natural history and conservation status, and how the highest welfare of each individual feliform is ensured.
- b. An education program is conducted in accordance with a written Education and Outreach Policy that articulates and evaluates program benefits, under the direction of qualified staff and/or volunteers.
- c. The education program is evaluated periodically for effectiveness and content, ideally on an annual basis, by the Director.
- d. Feliforms are not taken out of enclosures/habitats or off the grounds of the sanctuary for incorporation into the education program. Feliforms may be incorporated into education programs utilizing non-invasive educational methods/tools, such as audio-visual presentations, webcasts, or other forms of multi-media. In such cases, they are treated in a respectful, safe manner that does not misrepresent or degrade them, does not cause them distress, and does not put feliforms or humans at risk.
- e. See *also* Standards P-8 and P-9.

### E-2. Tours

**Any tours are monitored and conducted in a careful manner that minimizes the impact on the feliforms and their environment, does not cause them stress, and gives them the ability to seek undisturbed privacy and quiet.**

- a. Non-guided tours are prohibited, and tour groups are of a size that allows for close monitoring and vary based on the size and staff of the sanctuary.
- b. Tours, if allowed, are for an educational purpose consistent with the sanctuary's education policy and not used for entertainment (see E-1).
- c. All tours are conducted to minimize the impact on the feliforms and their environment.
- d. Feliforms are confined within a secure environment and provided the opportunity to escape from public view. Feliforms are not in enclosures or habitats specifically designed to minimize their privacy and all wild feliforms have the ability to seek undisturbed privacy and quiet.
- e. Feliforms that are easily stressed are excluded from tours.



- f. All tours prohibit the public from any physical contact with the feliforms residing at the sanctuary.
- a. Members of the public cannot feed sanctuary feliforms during tours.

### **E-3. Outreach**

**Sanctuary staff are appropriate advocates for feliform protection and welfare, and work cooperatively with other sanctuaries and the community.**

- a. The sanctuary works cooperatively with other sanctuaries as applicable, keeping the feliforms' welfare as the first priority. (For instance, best practices are shared, sanctuaries collaborate to arrange best placements for feliforms, etc.).
- b. Any community outreach is conducted in an ethical and professional manner.
- c. The sanctuary does not adopt policies in opposition to the welfare of feliforms (e.g., endorsing the use of feliforms for entertainment).

## **POLICIES**

---

### **POLICIES: ACQUISITION AND DISPOSITION OF FELIFORMS**

#### **P-1. Acquisition Ethics and Commercial Trade Prohibition**

**Acquisition of feliforms by the sanctuary is legal and ethical.**

- a. The sanctuary has relevant legal documentation (including any required permits and licenses) for, and is in legal possession of, all animals in its care.
- b. The sanctuary has a written policy governing its acquisition of feliforms, including the following provisions:
  - Feliforms are only accepted if the sanctuary has the financial resources to provide appropriate professional care.
  - Feliforms are only accepted if they will not jeopardize the health, quality of care or maintenance of feliforms currently housed at the sanctuary.
  - All acquisitions of animals by the sanctuary are consistent with its mission and in the best interest of the individual animals.
  - Acquisition of feliforms occurs through donation or rescue. No commercial trade in sanctuary animals occurs (included, but not limited to, the sale of animals, animal parts, by-products, or offspring), and the sanctuary does not knowingly engage a third party to purchase a feliform on its behalf. (*Note: if animals have been purchased, or if the sanctuary has a policy in place that allows purchase under certain circumstances, the sanctuary must provide GFAS with this information, indicating why such purchases are consistent with the sanctuary's mission and why they do not sustain or promote the commercial exploitation of the species.*)
  - No acquisition results from the intentional breeding of animals for or at the sanctuary. An exception may be made for rehabilitation and release centers engaged in a bona fide breeding-for-release-program of endangered species with available release sites within the state/province,



conducted with specific conservation goals, in accordance with local, state/province, national, and international law and regulations.

- c. Safe and humane transport is used for all acquisitions.

## **P-2. Acquisition Recordkeeping and Monetary Exchange**

**Acquisition contracts are clear, with ultimate responsibility for acquisitions clearly**

- a. An acquisition contract is in place that clearly identifies the sanctuary as the "responsible party" for the feliforms and when such responsibility takes effect; whenever possible, the contract includes information on the "surrendering party" as well as any intermediary parties (rescue groups, zoos, etc.). This written contract is kept as part of the permanent record for each feliform entering and housed at the sanctuary.
- b. Financial expenses associated with acquisition of a feliform may be received in order to enable the sanctuary to be able to responsibly take in the feliform and may include medical testing, behavioral assessment, crate construction costs, quarantine costs, shipping and transport costs. Lifetime care costs may be factored in as appropriate.

## **P-3. Disposition Ethics and Responsibility**

**The sanctuary assumes responsibility for the feliforms it acquires, with some noted exceptions, with ultimate responsibility for dispositions clearly defined.**

- a. The sanctuary assumes lifelong responsibility for the feliforms acquired and only in very rare circumstances does a feliform permanently or semi-permanently leave the sanctuary, with the exception of releasable wildlife reintroduction.
  - A rehabilitation center assumes responsibility (in accordance with national and local law) for the appropriate disposition of animals it acquires, with the goal of reintroducing native wildlife, where possible, to its natural habitat.
- b. Acceptable reasons for disposition, when movement of feliforms to another sanctuary or other appropriate facility does not compromise the welfare of that individual or the other feliform(s) with which s/he will be housed, include:
  - health concerns that cannot be adequately addressed by the sanctuary, where another accredited sanctuary or comparable facility is better equipped to provide care for the feliform.
  - another accredited sanctuary or comparable sanctuary can provide a better long-term environment (such as creating a suitable social group of conspecifics).
- c. Other reasons for disposition include: financial insolvency or closure of the sanctuary, return of confiscated wildlife to its country of origin, or death of the feliform.
- d. Detailed records of feliform disposition are logged and maintained, including the details of all body parts.

## **P-4. Disposition of Live Feliforms**

**Responsible steps are taken to ensure that any disposition of a live feliform is in the life-long best interests of that feliform.**



- a. The sanctuary has a written disposition policy that adopts substantially the language of this standard.
- b. Feliforms are not transferred to individuals, nor are they transferred to sanctuaries or other facilities that lack the appropriate expertise and/or resources and/or facilities to care for them appropriately. Before transfers, the sanctuary is convinced that the recipient has the expertise, records management capabilities, financial stability and facilities required to properly care for the feliforms. Feliforms are not “loaned” to other facilities.
- c. Feliforms are not disposed of at auctions or to breeders, dealers, brokers, “kill buyers”, slaughterhouses or private pet owners.
- d. For sanctuaries engaged in rescue, rehabilitation and release of feliforms, subject to all pertinent regulations and laws, feliforms are released within native ranges, in accordance with local, state, national and international regulations.
- e. If a feliform, especially one housed individually (to be avoided whenever possible except for naturally solitary species), shows signs of self-mutilation and/or apathy, is uncontrollable, has a highly aggressive disposition, and/or is suffering physically or psychologically, and if the sanctuary cannot remedy the situation, then, if possible, the feliform is transferred to another accredited sanctuary or other appropriate facility, if it appears that environment will better suit the feliform.
- f. See also Standard P-5 “Euthanasia” below.

## **P-5. Euthanasia**

**Euthanasia is governed by an ethical humane euthanasia policy, and deceased feliforms are handled appropriately.**

- a. The sanctuary has and maintains a written humane euthanasia policy (as part of the disposition policy) for feliforms and other animals at the sanctuary, and in compliance with any national or local law, administered under the strict supervision of a licensed veterinarian.
- b. Euthanasia is only be used as a final option. Euthanasia is not used as management tool (such as a means to create space for more animals).
- c. Examples of cases where euthanasia may be accepted are:
  - Incurable disease/injury that is likely to cause unmanageable pain or suffering;
  - Disease/injury where treatment is likely to cause unreasonable pain or suffering;
  - Disease/injury where treatment will not be effective in restoring the feliform to an acceptable quality of life;
  - Disease/injury where treatment is beyond the normal community standards of monetary expenditure and would cause an excessive burden on the sanctuary resources, and no other sanctuary can step in, after reasonable efforts to locate such a sanctuary;
  - The process of aging has resulted in an unacceptable quality of life;
  - In the event of presenting an infectious disease risk to some or all of the residents.
  - For facilities engaged in the rehabilitation and reintroduction of wildlife, it is determined in accordance with an appropriate protocol or other “decision tree” analysis that an animal cannot be reintroduced to its natural habitat and there is no appropriate (consistent with these standards) long-term care option.
- d. A licensed veterinarian, his/her authorized representative, or a trained staff member who is knowledgeable and skilled in performing euthanasia in a compassionate and professional manner



and ideally with an established relationship with the sanctuary and the feliform, recommends and performs humane euthanasia. However, in extreme circumstances of feliform suffering when a veterinarian is unable to reach the sanctuary in a timely manner, a method such as the use of a firearm to euthanize a feliform may be required and is performed by a trained and qualified staff member when no other humane option is available.

- e. Euthanasia is performed so that it avoids distress to the feliform, and unless impossible, is performed out of view of other feliforms.
- f. With regard to deceased feliforms:
  - Personnel conduct themselves in such a manner that is respectful during disposition activities;
  - Body parts are never sold, traded or donated (see exception at Standard P-11 “Ethics in Research”);
  - Disposition of deceased feliforms meets the requirements of all acceptable practices along with applicable local, state, national, and international regulations and laws.
- g. The species and ecosystems are carefully considered during disposition activities.

## **POLICIES: PUBLIC CONTACT AND RESTRICTIONS ON USE AND HANDLING OF FELIFORMS**

### **P-6. Public Contact**

**Contact between feliforms and the public is not allowed or is restricted appropriately.**

- a. No unescorted public visitation occurs. This is not to exclude discrete, nonintrusive observation by a carefully evaluated person, such as a wildlife student, as allowed by the appropriate decision-making body of the sanctuary.
- b. No direct contact between the public and feliforms occurs.
- c. See also Standard E-3 “Tours.”

### **P-7. Removal from Sanctuary or Enclosures/Habitats for Non-Medical Reasons**

**Feliforms at the sanctuary are not removed from the sanctuary or enclosures/habitats for non-medical reasons.**

- a. Feliforms are not taken from the sanctuary or enclosures/habitats for exhibition, education, or research purposes.

### **P-8. Public Viewing of Human/Feliform Interaction**

**The sanctuary does not allow unprotected human/feliform contact to occur within public view.**



- a. Any unprotected contact with feliforms (e.g., for purposes of providing medical care) is performed out of public view, except in cases of emergency.

**With few exceptions, the sanctuary rarely portrays feliforms as tractable in text, photos, video, or other media.**

### **P-9. Non-Portrayal of Feliforms as Tractable**

- a. The sanctuary rarely publishes material that portrays feliforms as tractable. This includes but is not limited to: photos in which staff or others are shown holding or petting feliforms; and feliforms on leashes or dressed in human clothing. In situations where text, photos, video or other media are published portraying the above, steps should be taken to add text to the publication (website, brochure, etc.) that explains the reason for the contact and discouraging the idea that the animals would make suitable pets.

### **P-10. Non-Harmful, Non-Exploitive Fundraising**

- a. Fundraising activities approved by an appropriate decision-making body of your sanctuary are allowed provided the following:
  - The activities do not violate any of the other GFAS Standards, including those regarding contact with the public, handling of feliforms, and removal from the sanctuary or enclosures/habitats;

**Fundraising activities are not distressing or negatively disruptive to feliforms, nor do the activities involve improper use of feliforms.**

- The activities are deemed to not be distressing or in any way negatively disruptive to the feliforms and their normal routine, nor are normal routines designed specifically for fundraising needs;
- Feliforms are not in enclosures or habitats specifically designed to minimize their privacy, and all feliforms have the ability to seek undisturbed privacy and quiet;
- Feliforms are not being used as entertainment, which includes the performance of “tricks” for public display;
- Feliforms are not raffled or sold.

### **P-11. Ethics in Research**

**Any research conducted is devoted to benefiting the health and welfare of the individual feliform involved, and does not cause pain or distress.**

- a. No resident feliforms are made available for participation in research studies unless the studies are strictly observational and do not interfere with the normal daily activities of the individual feliforms. Interventions that cause pain or distress are not acceptable.



- b. An exception may be made, with approval of an appropriate decision-making body of the sanctuary, if:
- It is determined that the health and welfare interests of the individual feliform are best served by participating in a new treatment study;
  - There is reason to believe that outcome of the study will be a tangible benefit for the individual feliform involved;
  - The study does not prevent normal activities of daily living.
- c. An exception may also be made for research involving biological sampling if it will have a demonstrable health, conservation, or genetic benefit to captive feliform management and/or wild feliform population conservation. In such cases, samples are only to be taken during routine examinations of the feliform (which are otherwise needed for the welfare of the individual) or routine cleanings of enclosures, or during a necropsy that does not violate any other GFAS standards. Sanctuaries should ensure that any biological samples are used ethically by the receiving institution or laboratory, and that any applicable CITES regulations are followed.

## **FELIFORMS BEING RELEASED TO THE WILD**

---

GFAS strongly supports the efforts of wildlife rehabilitators and sanctuary managers to return wildlife to its natural environment, provided appropriate steps are taken to ensure that the animals released are likely to survive in the wild.

Facilities releasing feliforms to the wild must also make every effort to reduce risk of their having a damaging impact on ecological resources, including other animal species, found naturally in the release area. Examples of risk factors include but are not limited to:

- Displacement of indigenous animals;
- Transmission of novel pathogens;
- Disruption of local human communities, including damage to dwellings and injury to local inhabitants;
- Alterations to the environment that disrupt the ecological niche of other species.

For a more detailed discussion of the potential risks, as well as time and financial commitment involved in creating a quality re-introduction project, see the International Union for the Conservation of Nature Species Survival Commission (IUCN/SSC) Reintroduction Specialist Group's "Guidelines for Re-Introductions".

### **R-1. General Considerations**

**The sanctuary has policies, agreements and plans in place to optimize the chances for successful re-introduction of feliforms into the natural environment.**

- a. The facility has a written policy regarding the handling of any potential problems involving released animals. The policy should include but is not limited to:
- a plan to minimize the risk to human life and property in the area of release;
  - a plan for compensation for or mitigation of damages incurred by the released animals;



- a deterrent plan to discourage inappropriate activities, i.e., spending time around human habitation.
  - a plan for management or removal of animals who fail to integrate appropriately or who become habitual ‘problem animals.’
- b. In as much as possible, using the latest available information on potential health concerns regarding other species found in the area of release, animals are tested and treated for pathogens that might pose a threat to other wildlife.
- c. The facility has agreements in place with any and all appropriate authorities to allow the release process to proceed as smoothly as possible.
- d. Ideally, permissions, any necessary documentation, site determination, etc. begin as soon as it is determined that there are animals in care that are likely to be suitable for release.
- In particular, facilities obtain any permits or other forms of authorization needed to proceed with the release.
  - Potential release sites are identified and evaluated as early in this process as possible.
- e. Cooperative agreements are in place prior to animals being released which may include, but are not limited to:
- veterinary and scientific involvement in post-release monitoring;
  - community acceptance of the project and involvement in habitat protection and awareness raising;
  - landowner agreements enabling release, including the addressing of specific permissions and permits;
  - involvement of NGOs with similar or conflicting interests that may impact (positively or negatively) the project.

## **R-2. Rescue Of Feliforms**

**The sanctuary has developed guidelines for rescue work, taking into account staff and animal safety, contingencies for caring for the animal once rescued, and any local, state or national regulations or agency cooperation required.**

- a. Facilities accepting feliforms from the illegal trade have policies and procedures (ideally in writing) in place with the appropriate authorities that allow for rapid transfer of the animals to the sanctuary or rescue center. These policies and procedures are designed to reduce the risk of:
- disease transmission;
  - habituation;
  - Inappropriate or inhumane treatment, due to lack of knowledge, by personnel involved in seizure of wildlife from the illegal trade.
- b. In as much as possible, while respecting local or national cultural/religious tenets, a euthanasia policy is in place to address situations where the animal’s prognosis for survival is too low to warrant attempting treatment.
- In situations where field euthanasia is being considered, where possible and appropriate (e.g., the animal is reasonably safe from further human interference and the stress of capture would outweigh the benefit of humane euthanasia), the option of leaving the animal *in situ* may be considered.



- See also Standard V-5, “Euthanasia.”

**Feliforms admitted into sanctuary are evaluated for their potential suitability for release.**

### **R-3. Evaluation Of Suitability For Release**

- a. The sanctuary has a protocol in place (ideally in writing) to evaluate potential release candidates and to determine which feliforms are given priority for potential release.
  - Animals who have spent little time in captivity and/or who have had little human contact are given priority for potential release.
  - Animals found to be free of diseases and/or parasites of potential concern to the health of the population, particularly in the intended release area, are given priority for potential release.
- b. All feliforms are treated as potential release candidates, particularly those who have not been kept long term as pets. If feliforms admitted into sanctuary are determined to be potential release candidates, every effort is made to protect them from exposure to human disease and to keep them as wild as possible.

### **R-4. Quarantine And Prerelease Housing**

**The sanctuary has appropriate quarantine facilities and prerelease housing for feliforms, with consideration given to sick and injured feliforms.**

*(See also Standards H-1 to H-9, “Feliform Housing,” and V-5, “Quarantine and Isolation of Feliforms”)*

#### **General**

- a. Non-quarantine housing for feliforms being considered for release provides as close to natural a setting as possible. The space allows for foraging, digging, climbing, nesting/denning and other actions naturally performed in the wild.
- b. Quarantine facilities and prerelease housing for feliforms intended for release are situated a minimum of 66 ft. (20m), giving consideration to factors such as wind direction, from resident feliform populations to protect them from exposure to pathogens present in the sanctuary population that could compromise their return to the wild. A wall surrounding the quarantine area reduces pathogen transfer risk and aids in restricting access to authorized personnel.
  - Where this is not possible, sanctuary residents are screened for potential pathogens of concern, and pathogen-free animals are housed closest to the animals intended for release to the wild.
  - Sanctuary animals being used as surrogates are screened for pathogens prior to introduction to any dependent feliforms.
- c. Where possible and appropriate, sanctuaries follow International Wildlife Rehabilitation Council guidelines (<http://www.nwrawildlife.org/content/minimum-standards>) in dividing housing into three types:
  - Restricted activity/mobility – for the initial stages of rehabilitation where the illness or injury requires the animal be treated and/or prevented from activities that would slow the rehabilitation



process. At a minimum, the animal is able to maintain normal upright/alert posture and to stretch the body.

- Limited activity/mobility – for the recovery stage of rehabilitation where the animal is regaining mobility and building strength, and staff does not need access to the animal on a daily basis. The animal is able to move short distances and perform some climbing and perching activities.
- Unlimited/Prerelease – the final stages of rehabilitation where the main concern is ensuring that the animal is fit for release. In this phase, the enclosure provides the feliforms with opportunities to demonstrate the skills necessary for survival in the wild.

### **Quarantine Housing**

- d. Sick or injured wildlife is quarantined in such a way that the rehabilitation process is begun during the quarantine phase.
- e. Quarantine facilities have appropriate housing for the treatment of injured or ill feliforms.
- f. Quarantine facilities are designed to allow for monitoring and, as needed, modification of behavior of feliforms intended for release.
- g. Healthy feliforms admitted to quarantine have as large an enclosure as possible to help maintain natural locomotion and foraging behaviors.
- h. Upon arrival, feliforms are quarantined for an adequate number of days, ideally for a minimum of 60 days. In some situations a longer quarantine may be advisable.
- i. The attending veterinarian works closely with regional, national and international experts and authorities to determine appropriate quarantine timing based on health risks to which the newly admitted feliforms may have been exposed.
- j. Orphaned feliforms, particularly those who have been kept as pets and potentially exposed to human pathogens, are isolated until any potential health risks are evaluated.

### **Initial Housing for Orphaned, Ill or Injured Feliforms**

- k. Animals admitted requiring treatment for illness or injury are housed in enclosures that allow for ease of care. These initial care enclosures can be smaller than that which is acceptable for long-term care.
  - Dependent on illness or injury, either Restricted or Limited activity/mobility housing may be utilized.
- l. Enclosures provide visual and acoustic barriers to minimize stress.
- m. Orphaned feliforms are housed in nursery units, preferably with conspecifics, as species appropriate.
  - Where possible, safe, and appropriate, adult feliforms are utilized as surrogates to care for the orphans, thus reducing human contact. Where this is not possible or appropriate, human caregivers act in a manner that preserves the natural behaviors of wild feliforms as much as possible.

### **Intermediate Housing for Orphaned Feliforms**

- n. As soon as the orphaned feliforms have been weaned, they are moved to intermediate housing, where human contact is decreased and interaction with conspecifics, as species appropriate is increased. Where possible, the animals are moved to the release site and cared for in a soft release enclosure.
- o. Animals are provided with adequate opportunity for climbing, nesting and foraging as species appropriate.
- p. In as much as possible, conspecifics are used to teach natural behaviors, as species appropriate. Where appropriate releasable conspecifics are not available, and where possible, safe, and



appropriate, resident animals with strong natural skills who do not present a disease risk to the wild population, may be used to teach these behaviors.

- q. Intermediate housing is isolated from resident animal areas, ideally within a natural habitat which allows the orphans to adjust to a more wild environment.

#### **Intermediate and Prerelease Housing for Sick or Injured Feliforms**

***Note: Adult and independent subadult animals, dependent on their admitting condition, may not require intermediate housing.***

- r. Animals suffering from injuries that may affect their suitability for release are moved to intermediate housing while regaining strength. Animals are regularly evaluated to determine whether they are likely to be releasable. Once the feliforms are deemed fit, they are moved to prerelease housing.
- s. Independent animals brought in for rehabilitation who can be released back into the environment from which they came are returned as soon as it is determined that the animal has recovered sufficiently to resume its presence in its former area.
  - Consideration is given to social and territorial issues that may affect safe return to the original habitat.
- t. Prerelease housing for adult and independent subadult animals is ideally situated at the intended release site, allowing the animals to acclimate to their new environment before release.
- u. In both intermediate and prerelease housing, sufficient vertical as well as horizontal space is provided, as species appropriate to allow the feliforms to develop strength and display normal wild behaviors.

### **R-5. Diet, Nutrition And Foraging Skills**

**Feliforms are fed an appropriate diet that approximates that which will be found in the habitat to which they are released, and foraging behavior is encouraged.**

- a. As early in the rehabilitation process as possible, feliforms are exposed to the types of foods found naturally within the environment where they will be released and assessed for their ability to find appropriate foods and avoid inedible or poisonous foods.
- b. Release candidates are fed in such a way as to encourage natural foraging behaviors.
- c. Rescued feliforms admitted in poor physical condition may require specialized diets to recover their health. Nutritional deficiencies are assessed and diets modified to address those deficiencies. Once the feliforms are back on a normal nutritional plane, any foods not found in their planned release area are no longer fed.

### **R-6. Husbandry And Health**

**All aspects of care, including caregiver-feliform relationships, introduction to social groups and overall health evaluation, are focused on preparing the feliforms for return to the wild.**

- a. Once a feliform has been evaluated as a potential release candidate, all aspects of care are focused on preparing the animal for the wild.



- Human activities and noises are minimized in areas housing feliforms being prepared for reintroduction.
  - Apart from dependent young with no suitable conspecific surrogates, human interaction with feliforms being prepared for release to the wild is restricted to those activities that will enhance the feliforms' ability to live in the wild.
- b. The animal is placed in an appropriate social group or paired with a compatible conspecific, depending on species. Where appropriate surrogate conspecifics are not available, dependent young may be reared by human caregivers using approved best practices for the species housed.
- Care is taken to balance the need to nurture these young animals with their need to develop appropriate survival skills as well as intraspecific social behaviors.
  - Animals are integrated into an appropriate social group, ideally comprised of other conspecifics intended for release, as quickly as possible.
- c. Introductions follow Standard W-3 "Introduction of Unfamiliar Individuals."
- d. Opportunities to explore, climb, dig, forage and learn skills in the natural environment are provided.
- e. Feliforms admitted into care from the wild at the stage where they are already independent, with recoverable illness or injury problems, are treated and released as quickly as possible, taking into account the potential for the animal not being accepted back into its previous social group or territory.
- f. Caregiver-feliform relationships for animals intended for release to the wild, while ensuring the animals' psychological well-being is met, focus on:
- avoiding any types of interaction that may compromise the feliforms' chances for release;
  - encouraging the feliforms to develop appropriate relationships with conspecifics for their social needs.
- g. Veterinary staff evaluate overall health including:
- recovery from the initial cause for admission to the facility;
  - pathogen surveillance to ensure the animal does not present a risk to the wild population as a result of exposure during the rehabilitation process.
    - In as much as possible, using the latest available information from the OIE-World Organization for Animal Health ([www.oie.int](http://www.oie.int)) and the IUCN's Conservation Breeding Specialist Group (<http://www.cbsg.org>), animals are monitored for human pathogens not found in the wild population.
- h. Feliforms being cared for in sanctuary for later release back to the wild are managed in such a way as to optimize their chances for successful return to the natural environment.

## **R-7. Health And Safety Of Caregivers Working With Releasable Feliforms**

**No caregiver begins work with releasable feliforms until routine testing has indicated he or she poses no risk to the feliforms' release to the wild.**

*(See also Standard V-8, "Zoonotic Disease Program")*

- a. Caregivers working with feliforms intended for release to the wild are routinely monitored for potential anthroponoses (diseases that have potential to be transmitted to the animals).



- b. Testing, vaccinations and fecal cultures for pathogens may be utilized, as appropriate for the region, to ensure the health of both the feliforms and their caregivers. New caregivers should not have contact with the feliforms for the first two weeks of employment.
- c. Provision of adequate nutrition for staff is considered as a possible contribution to the continued well-being of both staff and feliforms.

## **R-8. Assessment of Health and Skills**

**Feliforms are fully assessed for health and appropriate skills prior to release.**

- a. Feliforms who have completed the rehabilitation process and have been successfully integrated into a social group or pair, as is species appropriate, are further evaluated for release, with attention to health and the skills attained.
- b. Each animal's skills (e.g. foraging, nesting, appropriate interaction or avoidance behaviors in the presence of conspecifics, avoidance of dangers including poisonous foods or predators) are evaluated.
- c. A complete health assessment is performed including:
  - Overall fitness as relates to being able to survive in the wild, keep up with a conspecific group, avoid predators, etc.
  - Injuries and limitations that originally caused the animal to be brought into care are resolved, either completely, or to the extent that the feliform has a reasonable chance for long-term survival.
- d. Feliforms have been tested, and found free of pathogens that have potential to harm the wild population in the planned release area, based on the latest current knowledge.
- e. Genetic assessment has been done to ensure that the feliforms being released are of an appropriate subspecies/population/subpopulation for the release site if their origin is not known.
- f. Feliforms are exposed to post-release monitoring equipment prior to release to allow them to acclimate to its presence.

## **R-9. Determining Appropriate Release Sites**

**Release sites are evaluated for health and other threats and for appropriateness for the species.**

- a. The potential release site is evaluated for the presence of appropriate and adequate food sources.
- b. The area is evaluated for potential health concerns.
- c. The potential release site is surveyed to ascertain whether any wild feliforms are present, either permanently or seasonally.
- d. The area is evaluated to establish carrying capacity for feliforms to be released. This includes taking into consideration others releases that may have already taken place and issues of territoriality. Animals are released in an appropriate habitat where carrying capacity for the species has not been reached.
- e. The area is evaluated for instances of potential human-wildlife conflict.
- f. IUCN guidelines are, in as much as possible, followed when determining release sites for rehabilitated feliforms.



- g. Animals are released away from areas where there is potential for or has been a history of human-animal conflict.

## **R-10. The Release Process And Post Release Monitoring**

**Feliforms are supported as needed to adapt in their new environment and are monitored post release.**

- a. Once it is determined that the feliforms have the basic skills for foraging in their new environment, supplemental care is discontinued.
- b. A post-release monitoring program is in place to ensure the rehabilitation program is providing the animals with the skills necessary to survive, that the habitat is adequate and that, as is species appropriate, feliforms have integrated into the wild.
- Use of radio and satellite telemetry is recommended whenever possible and appropriate.
- c. Ideally, feliforms are returned to the wild using a soft release process wherein they are housed in an enclosure within the release area or spend time with caregivers in the release area where supplemental food may be provided as needed and observation of their acclimatization may be observed.
- d. Post release monitoring, in conjunction with outside veterinary and scientific personnel, continues for a minimum of one year.
- Level of monitoring may decrease over time as feliforms are determined to be acclimating to the environment.
  - Longer term monitoring of the animals and their impact on the habitat is preferred.
  - Practices used and results obtained, both positive and negative, are shared both within the facility and with others involved in feliforms reintroduction to aid in the continued improvement of the program.



## Appendix 1

---

### **General**

The feliforms are noted for their ability to manipulate objects and escape through very small spaces. Housing feliforms in inadequately sized enclosures can result in social stress and/or stress to individual animals unable to express natural behaviors, including the ability to retreat from disturbance. Behavioral indicators of stress can include

heightened aggression, pacing and other repetitive behaviors. In addition to enclosure size, complexity and variety are important factors in creating appropriate housing for feliform species, as boredom can also contribute to inappropriate behaviors.

### **Contraception Information**

While there are chemical options for contraception of feliform species, castration and ovariectomy present the fewest potential secondary health problems and ensure that no pregnancies occur. Ovariectomy negates the risk of uterine cancer and can reduce the risk of mammary cancer when performed early in the feliform's life. Vasectomy or castration of males will not prevent potential adverse effects to females from prolonged, cyclic exposure to endogenous steroids associated with the obligate hormonal pseudo-pregnancy that follows ovulation in feliforms. Endogenous steroids and steroid contraceptives cause similar side effects.

Progestin contraceptives are associated with progressive uterine growth that can result in infections and, in some cases, uterine cancer in feliforms. If a progestin is used, treatment should only be short term, due to the increased likelihood of side effects with prolonged exposure and should start well BEFORE any signs of proestrus, since the elevated endogenous estrogen can exacerbate side effects of the progestin. Proestrus can begin 2 or more months before estrus in some feliform species. Progestins should only be administered to females confirmed non-pregnant since they may suppress uterine contractions necessary for normal parturition.

MGA Implants not recommended for more than a total of 4 years (Female use only). Non-fertile ovulatory cycles do not substitute for pregnancy in reversing deleterious effects on the uterus.

Depo-Provera® injection (5 mg/kg body wt. every 2 months) (Female use only).

Megestrol acetate for seasonal breeders, but for no more than 2 consecutive seasons (Female use only).

PZP vaccine efficacy and safety have only been demonstrated in pinnipeds and bears among the carnivores. In other carnivores, there is mounting evidence that anti-PZP antibodies do not cross-react with the sperm receptor on the ovum, or may cause depletion of ovarian oocytes. PZP is contraindicated in species in which pseudopregnancy is common.

GnRH Agonists - Gonadotropin Releasing Hormone Agonists are considered the safest reversible contraceptive. Dosages and duration of efficacy are not well established for all species; side effects are generally similar to those associated with gonadectomy, especially the potential for weight gain unless diet is controlled. Availability and cost of GnRH Agonists may limit their use.